

REFERENCES

- ¹ European Heart Network. Food, nutrition and cardiovascular disease prevention in the European Region: Challenges for the New Millennium. Brussels: EHN, 2002.
- ² European Heart Network. Food, Nutrition and Cardiovascular Disease Prevention in the European Union. Brussels: EHN, 1998.
- ³ Eurodiet Project, Eurodiet Core Report. Public Health Nutrition 2001;4. Special issue.
- ⁴ WHO press release. Available from http://www.euro.who.int/mediacentre/PR/2006/20060908_1
- ⁵ World Health Organization. 2008-2013 Action Plan for the Global Strategy for the Prevention and Control of Noncommunicable Diseases. Geneva: WHO, 2009
- ⁶ World Health Organization Europe. Gaining health. The European Strategy for the Prevention and Control of Noncommunicable Diseases. Copenhagen: WHO, 2006
- ⁷ UN General Assembly. Resolution adopted by the General Assembly. Prevention and control of non-communicable diseases. A/RES/64/625.
- ⁸ Chronic Disease Alliance. A unified prevention approach—the case for urgent political action to reduce the social and economic burden of chronic disease through prevention. Chronic Disease Alliance, 2010.
- ⁹ World Health Organization. Global strategy for diet, physical activity and health. Geneva: WHO, 2004.
- ¹⁰ World Health Organization Europe. WHO European action plan for food and nutrition policy 2007 – 2012. Copenhagen: WHO, 2008.
- ¹¹ Commission of the European Communities. White paper on a strategy for Europe on nutrition, overweight and obesity related health issues. COM(2007) 279 final. Brussels: CEC, 2007.
- ¹² Commission of the European Communities. Communication from the Commission to the European Parliament, the Council, the European Economic and Social Committee and the Committee of the Regions. Developing the European Dimension in Sport. COM(2011) 12 final. Brussels: CEC, 2011.
- ¹³ World Health Organization. Global recommendations on physical activity for health. Geneva: WHO, 2011.
- ¹⁴ European Heart Network. European cardiovascular disease statistics 2008. Brussels: EHN, 2008.
- ¹⁵ World Health Organization. Preventing chronic diseases: a vital investment: WHO global report. Geneva: WHO, 2005.
- ¹⁶ Capewell S, Ford ES, Croft JW, Critchley JA, Greenlund KJ, Labarthe DR. Cardiovascular risk factor trends and potential for reducing coronary heart disease mortality in the United States of America. Bulletin of the World Health Organization 2010;88:120-130.
- ¹⁷ Tunstall-Pedoe H, Kuulasmaa K, Mahonen M, Tolonen H, Ruokokoski E, Amouyel P for the WHO MONICA Project. Contribution of trends in survival and coronary event rates to changes in coronary heart disease mortality: 10 year results from 37 WHO MONICA Project populations. Monitoring trends and determinants in cardiovascular disease. The Lancet 2009; 353:1547-1557.
- ¹⁸ Capewell, S. Cardiovascular disease: massive and costly. Is it preventable? Presentation to MEP Heart Group, 9 December 2009.
- ¹⁹ Capewell S, Beaglehole R, Seddon M, McMurray J. Explanation for the decline in coronary heart disease mortality in Auckland, New Zealand, between 1982 and 1993. Circulation 2000;102:1511-6. pmid: 11004141.
- ²⁰ Unal B, Critchley JA, Capewell S. Explaining the decline in coronary heart disease mortality in England and Wales between 1981 and 2000. Circulation 2004;109:1101-7.
- ²¹ Laatikainen T, Critchley J, Vartiainen E, Salomaa V, Kettonen M, Capewell S. Explaining the decline in coronary heart disease mortality in Finland between 1982 and 1997. Am J Epidemiol 2005; 162: 764-73
- ²² Zatonski W, ed. Closing the health gap in European Union. Warsaw: Cancer Epidemiology and Prevention Division, Maria Skłodowska-Curie Memorial Cancer Centre and Institute of Oncology, 2008.

- ²³ WHO website. See <http://www.euro.who.int/obesity>
- ²⁴ Rosengren A. Declining CVD mortality and increasing obesity: a paradox. *CMAJ* 2009;181:3-4.
- ²⁵ National Institute for Health and Clinical Excellence. Prevention of cardiovascular disease. Costing report. Implementing NICE guidance. NICE public health guidance. London: NICE, 2010.
- ²⁶ Fair Society, Healthy Lives. The Marmot Review, 2010. Available from: www.ucl.ac.uk/marmotreview.
- ²⁷ World Health Organization Regional Office for Europe. European Health Report, 2009. Copenhagen: WHO, 2009.
- ²⁸ European Commission. EU Communication from the Commission to the European Parliament, the Council, the European Economic and Social Committee and the Committee of the Regions on Solidarity in health: Reducing health inequalities in the EU. Brussels: CEC, 2009.
- ²⁹ Costongs C, Stegeman I, Bensuade de Castro Freire S, Weyers S. Taking Action on Health Equity. Closing the Gap: Strategies for Action to tackle health inequalities. Cologne: BzgA/EuroHealthNet, 2007.
- ³⁰ Mackenbach JP. Health Inequalities: Europe in Profile. An independent expert report commissioned by the UK Presidency of the EU. London: Department of Health, 2006.
- ³¹ World Health Organization Regional Office for Europe. Gaining health. The European Strategy for the Prevention and Control of Noncommunicable Diseases. WHO: Copenhagen, 2006.
- ³² Yusuf S, Hawken S, Ounpuu S, Dans T, Avezum A, Lanas F, McQueen M, Budaj A, Pais P, Varigos J, Lisheng L. INTERHEART Study Investigators. Effect of potentially modifiable risk factors associated with myocardial infarction in 52 countries (the INTERHEART study): case-control study. *Lancet* 2004;364:937-52.
- ³³ Murray CJL, Ezzati M, Lopez AD, Rodgers A, Vander Hoorn S. Comparative quantification of health risks: conceptual framework and methodological issues. *Population Health Metrics* 2003; 1: 1
- ³⁴ Okey R. Dietary blood and cholesterol in normal women. *J Biol Chem* 1933;99:717-27.
- ³⁵ Jacobs DR Jr, Anderson JT, Hannan P, Keys A, Blackburn H. Variability in individual serum cholesterol response to change in diet. *Arteriosclerosis* 1983;3:349-56.
- ³⁶ Katan MB, Beynen AC, de Vries JH, Nobels A. Existence of consistent hypo- and hyperresponders to dietary cholesterol in man. *Am J Epidemiol* 1986;123:221-34.
- ³⁷ Gluckman PD, Hanson MA, Buklijas T, Low FM, Beedle AS. Epigenetic mechanisms that underpin metabolic and cardiovascular diseases. *Nature Reviews Endocrinology* 2009;5:401-408.
- ³⁸ Zeisel SH. Epigenetic marking on genes can determine whether or not genes are expressed. *AJCN* 2009; 89:1488S-1439S.
- ³⁹ Mathers JC. Early nutrition: impact on epigenetics. *Forum Nutrition* 2007;60:42-8.
- ⁴⁰ Kalaria RN. Vascular basis for brain degeneration: faltering controls and risk factors for dementia. Marabou symposium proceedings, in press.
- ⁴¹ Cole GM, Ma Q-L, Frautschy SA. Dietary fatty acids and the aging brain. Marabou symposium proceedings, in press.
- ⁴² World Health Organization. WHO status report on alcohol, 2011. Geneva: WHO, 2011.
- ⁴³ World Health Organization. European status report on alcohol and health 2010. Copenhagen: WHO, 2010.
- ⁴⁴ European Commission. First progress report on the implementation of the EU alcohol strategy. Brussels: CEC, 2009
- ⁴⁵ World Health Organization. Global strategy to reduce the harmful use of alcohol. WHO: Geneva, 2010.
- ⁴⁶ Calculated from WHO Global Infobase figures for 2002. www.who.int
- ⁴⁷ World Health Organization. Preventing chronic diseases: a vital investment: WHO global report. Geneva: WHO, 2005.
- ⁴⁸ Keys A. Seven Countries. A multivariate analysis of death and coronary heart disease. Chapter 14, Diet. Massachusetts /London: Harvard University Press Cambridge, 1980.
- ⁴⁹ Kromhout D. and Bloomberg B. Diet and coronary heart disease in the Seven Countries Study. In: Kromhout D., Menotti A. and Blackburn H, eds. *Prevention of coronary heart disease. Diet, lifestyle and risk factors in the Seven Countries Study*. Massachussets, Kluwer Academic Publishers, 2002.

- 50** Institutes of Medicine. Dietary Reference Intakes: Energy, Carbohydrates, Fiber, Fat, Fatty Acids, Cholesterol, Protein, and Amino Acids. Washington DC: National Academy Press, 2002.
- 51** Department of Health and Human Services. The report of Dietary Guidelines Advisory Committee on Dietary Guidelines for Americans, 2005. www.health.gov/DietaryGuidelines/dga2005/report/HTML/D4_Fats.htm (accessed January 2010).
- 52** WHO. Diet, Nutrition and the Prevention of Chronic Diseases. Report of a Joint WHO/FAO Expert Consultation. WHO Technical Report Series No. 916. Geneva: WHO, 2003.
- 53** Sandström B, Marckmann P, Bindslev N. An eight-month controlled study of a low-fat high-fiber diet: effects on blood lipids and blood pressure in healthy young subjects. *Eur J clin Nutr* 1992;46:95-109.
- 54** Butland B, Jebb S, Kopelman P, McPherson K, Thomas S, Mardell J, Parry V. Foresight. Tackling Obesities: Future choice — project report. London: Government Office for Science, 2007.
- 55** Prentice AM, Jebb SA. Fast foods, energy density and obesity: a possible mechanistic link. *Obes Rev* 2003;4(4):187-94.
- 56** Elmada I, Kornsteiner M. Fatty acids and fatty acid requirements for adults. *Ann Nutr Metab* 2009;55:56-75.
- 57** Melanson EL, Astrup A. and Donahoo WT. The relationship between dietary fat and fatty acid intake and body weight, diabetes, and the metabolic syndrome. *Ann Nutr Metab* 2009;55:229-243.
- 58** Englyst HN, Bingham SA, Wiggins HS, Southgate DAT, Seppanen R, Helms P, Anderson V, Day KC, Choolun R, Collinson E, Cummings JH. Nonstarch polysaccharide consumption in four Scandinavian populations. *Nutrition and Cancer* 1982;4 (I):50-60.
- 59** Graham I, Atar D, Borch-Johnsen K et al. European guidelines on cardiovascular disease prevention in clinical practice: executive summary. *Eur Heart J* 2007;28:2375-2414.
- 60** Blackburn, H. Berenson GS, Christakis G et al. Conference on the health effects of blood lipids: Optimal distribution for populations. *Prev Med* 1979;8:612-678.
- 61** World Health Organization. Prevention of coronary heart disease. Report of a WHO expert committee. Technical Report Series 678. WHO: Geneva, 1982.
- 62** Wissler RW. Conference on the health effects of blood lipids: Optimal distribution for populations: workshop report: laboratory-experimental section. *Prev Med* 1979;8:715-752.
- 63** Campbell TC, Parpia B and Chen J. Diet, lifestyle, and the etiology of coronary artery disease: the Cornell China study, *Am J Cardiol* 1998;26:82(10B);18-21.
- 64** Clarke R, Frost C, Collins R, Appleby P, Peto R. Dietary lipids and blood cholesterol: quantitative meta-analysis of metabolic ward studies. *BMJ* 1997;314:112-117.
- 65** Lichtenstein AH, Appel LJ, Brands M et al. Diet and Lifestyle Recommendations Revision 2006. A Scientific Statement From the American Heart Association Nutrition Committee. *Circulation* 2006;114:82-96.
- 66** U.S. Department of Agriculture and U.S. Department of Health and Human Services. Dietary Guidelines for Americans, 2010. 7th ed. Washington, DC: U.S. Government Printing Office, 2010.
- 67** Singh RB, Mori H, Chen J, Mendis S, Moshiri M, Zhu S, Kim SH, Sy RG, Faruqui AM. Recommendations for the prevention of coronary artery disease in Asians: a scientific statement of the International College of Nutrition. *J Cardiovasc Risk*, 1996;3(6):489-494.
- 68** Briel M, Ferreira-Gonzalez I, You JJ et al. Association between change in high density lipoprotein cholesterol and cardiovascular disease morbidity and mortality: systematic review and meta-regression analysis. *BMJ* 2009;338:b92.
- 69** National Cholesterol Education Program (NCEP) Expert Panel on Detection, Evaluation, and Treatment of High Blood Cholesterol in Adults (Adult Treatment Panel III). Third Report of the National Cholesterol Education Program (NCEP) Expert Panel on Detection, Evaluation, and Treatment of High Blood Cholesterol in Adults (Adult Treatment Panel III) final report. *Circulation* 2002;106:3143-3421.
- 70** Lichtenstein AH, Appel LJ, Brands M et al. Diet and Lifestyle Recommendations Revision 2006. A Scientific Statement From the American Heart Association Nutrition Committee. *Circulation* 2006;114:82-96.
- 71** Food and Agriculture Organization. Fats and fatty acids in human nutrition. Report of an expert consultation. FAO Food and Nutrition Paper 91. Rome: FAO, 2010.

- 72** Elmadfa I. European nutrition and health report 2009. Chapter 7: Energy and nutrient intake in the European Union based on national data. Basel: Karger, 2009.
- 73** Puska P. Nutrition and mortality: the Finnish experience. *Acta Cardiol* 2000;55:213-220.
- 74** Pedersen JI, Tverdal Aa, Kirkhus B. Diet changes and the rise and fall of cardiovascular disease mortality in Norway (In Norwegian) *Tidsskr. Nor. Lægeforen* 2004;124:1532-1536.
- 75** Kuulasma K, Tunsdall-Pedoe H, Dobson A et al. Estimation of contribution of changes in classic risk factors to trends in coronary event rates across the WHO MONICA project populations. *Lancet* 2000;355:675-686.
- 76** Elmadfa I. European nutrition and health report 2009. Chapter 8: Health and lifestyle indicators in the European Union. Basel: Karger, 2009.
- 77** Mensink RP, Zock PL, Kester ADM, Katan MB. Effects of dietary fatty acids and carbohydrates on the ratio of serum total to HDL cholesterol and on serum lipids and apolipoproteins: a meta-analysis of 60 controlled trials. *Am J Clin Nutr* 2003;77:1146-1155.
- 78** Jacobsen MU, O'Reilly EJ, Heitmann BL et al. Major types of dietary fat and risk of coronary heart disease: a pooled analysis of 11 cohort studies. *Am J Clin Nutr* 2009;89:1425-1432.
- 79** Campbell TC, Parpia B and Chen J. Diet, lifestyle, and the etiology of coronary artery disease: the Cornell China study. *Am J Cardiol* 1998;26 82(10B):18-21.
- 80** Campbell TC, Chen J. Energy balance: Interpretation of data from rural China. *Toxicol Sciences* 1999;52 (suppl):87-94.
- 81** Skeaff CM, Miller J. Dietary fat and coronary heart disease: Summary of evidence from prospective cohort and randomised controlled trials. *Ann Nutr Metab* 2009;55:173-201.
- 82** Siri-Tarino PW, Sun Q, Hu FB, Krauss RM. Meta-analysis of prospective cohort studies evaluating the association of saturated fat with cardiovascular disease. *Am J Clin Nutr* 2010;91:535-546.
- 83** Stamler J. Diet-heart: a problematic revisit. *Am J Clin Invest* 2010;91:497-499.
- 84** Keys A. Diet and blood cholesterol in population surveys – lessons from analysis of the data from a major survey in Israel. *Am J Clin Nutr* 1988;48:1161-1165.
- 85** Bingham SA, Luben R, Welch A, Wareham N, Khaw KT, Day N. Are imprecise methods obscuring a relation between fat and breast cancer? *Lancet* 2003;362:212-214.
- 86** Prentice RL. Dietary assessment and the reliability of nutritional epidemiology reports. *Lancet*, 2003;362: 182-183.
- 87** Warensjö E, Jansson JH, Cederholm T, Boman K, Eliasson M, Hallmans G, Johansson I, Sjögren P. Biomarkers of milk fat and the risk of myocardial infarction in men and women: a prospective, matched case-control study. *American J Clin Nutr* 2010; 92:194-202.
- 88** Katan MB. Omega-6 polyunsaturated fatty acids and coronary heart disease. *Am J Clin Nutr* 2009;89: 1283-1284.
- 89** Jakobsen MU, Dethlefsen C, Joensen AM, Stegger J, Tjønneland A, Schmidt EB, Overvad K. Intake of carbohydrates compared with intake of saturated fatty acids and risk of myocardial infarction: importance of glycemic index. *Am J Clin Nutr* 2010; 91: 1764-1768.
- 90** Harris WS, Mozaffarian D, Rimm E et al. Omega-6 fatty acids and risk for cardiovascular disease. A science advisory from the American Heart Association Nutrition Subcommittee of the Council on Nutrition, Physical Activity and Metabolism; Council on Cardiovascular Nursing; and Council on Epidemiology and Prevention. *Circulation* 2009;119:902-907.
- 91** Willett WC. The role of dietary n-6 fatty acids in the prevention of cardiovascular disease. *J Cardiovasc Med* 2007;8(suppl 1):S42-S45.
- 92** Zatonski WA, Willett W. Changes in dietary fat and declining coronary heart disease in Poland: population based study. *BMJ* 2005;331:187-188.
- 93** Kark JD, Kaufmann NA, Binka F et al. Adipose tissue n-6 fatty acids and acute myocardial infarction in a population consuming a diet high in polyunsaturated fatty acids. *Am J Clin Nutr* 2003;77:796-802.
- 94** Mozaffarian D, Micha R, Wallace S. Effects on coronary heart disease of increasing polyunsaturated fat in place of saturated fat: a systematic review and meta-analysis of randomized controlled trials. *PLoS Med*. 2010;7(3):e1000252.

- 95** Calder PC, Dangour AD, Diekman C, et al. Essential fats for future health. Proceedings of the 9th Unilever Nutrition Symposium, 26-27 May 2010. *Eur J Clin Nutr* 2010;64 Suppl 4:S1-13.
- 96** Ramsden CE, Hibbeln JR, Majchrzak SF, Davis JM. n-6 fatty acid-specific and mixed polyunsaturated dietary interventions have different effects on CHD risk: a meta-analysis of randomised controlled trials. *Br J Nutr* 2010;104(11):1586-600.
- 97** James MJ, Gibson RA, Cleland LG. Dietary polyunsaturated fatty acids and inflammatory mediator production. *Am J Clin Nutr* 2000;71:343S-8S.
- 98** Calder PC. Polyunsaturated fatty acids and inflammation. *Biochem Soc Trans* 2005;33(Pt 2):423-7.
- 99** Mozaffarian D, Ascherio A, Hu FB, Stampfer MJ, Willett WC, Siscovick DS, Rimm EB. Interplay between different polyunsaturated fatty acids and risk of coronary heart disease in men. *Circulation* 2005;111:157-164.
- 100** Brenner RR. The oxidative desaturation of unsaturated fatty acids in animals. *Mol Cell Biochem* 1974;3:41-51.
- 101** Nordic Nutrition Recommendations. Integrating nutrition and physical activity, 4th edition. *Nord* 2004;11: 157-172.
- 102** Harris WS, Poston WC, Haddock CK. Tissue n-3 and n-6 fatty acids and risk for coronary heart disease events. *Atherosclerosis* 2007;193:1-10.
- 103** Mozaffarian D. Fish and n-3 fatty acids for prevention of fatal coronary heart disease and sudden cardiac death. *Am J Clin Nutr* 2008;87:1991S-1991S.
- 104** Pedersen JI, Ringstad J, Almendingen K, Haugen TS, Stensvold I, Thelle DS. Adipose tissue fatty acids and risk of myocardial infarction--a case-control study. *Eur J Clin Nutr* 2000;54:618-625.
- 105** Mozaffarian D, Rimm EB. Fish intake, contaminants, and human health: evaluating the risks and benefits. *JAMA* 2006;296:1885-99.
- 106** Deckelbaum RJ, Leaf A, Mozaffarian D, Jacobson TA, Harris WS, Akabas SR. Conclusions and recommendations from the symposium, Beyond Cholesterol: Prevention and Treatment of Coronary Heart Disease with n-3 Fatty Acids. *Am J Clin Nutr* 2008;87:2010S-2012S.
- 107** Mensink R, Katan MB. Effect of dietary fatty acids on serum lipid and lipoproteins. A meta-analysis of 27 trials. *Arterioscl Thromb* 1992;12:911-919.
- 108** Müller H, Kirkhus B, Pedersen JI. Serum cholesterol predictive equations with special emphasis on trans and saturated fatty acids, An analysis from designed controlled studies. *Lipids* 2001;36:783-791.
- 109** Mensink RP, Katan MB. Effect of monounsaturated fatty acids versus complex carbohydrates on high-density lipoproteins in healthy men and women. *Lancet* 1987;1:122-125.
- 110** Ledoux M, Juanéda P, Sébédio J-L. Trans fatty acids: Definition and occurrence in foods. *Eur J Lipid Sci Technol* 2007;109:891-900.
- 111** Kummerow FA, Mahfouz MM, Zhou Q. Trans fatty acids in partially hydrogenated soybean oil inhibit prostacyclin release by endothelial cells in presence of high level of linoleic acid. *Prostaglandins Other Lipid Mediat* 2007;84:138-153.
- 112** Hu FB, Stampfer MJ, Rimm EB et al. Dietary fat intake and the risk of coronary heart disease in women. *N Engl J Med* 1997;337:1491-1499.
- 113** Mozaffarian D, Katan MB, Ascherio A et al. Trans fatty acids and cardiovascular disease. *N Engl J Med* 2006;354:1601-1613.
- 114** Pedersen J, Kirkhus B. Fatty acid composition of post trans margarines and their health implications. *Lipid Technology* 2008;20:132-135.
- 115** WHO Scientific Update on health consequences of trans fatty acids. *Eur J Clin Nutr* 2009; 63: S1-S75.
- 116** Chardigny JM, Destaillats F, Malpuech-Brugère C et al. Do trans fatty acids from industrially produced sources and from natural sources have the same effect on cardiovascular disease risk factors in healthy subjects? Results of the trans Fatty Acids Collaboration (TRANSFACT) study. *Am J Clin Nutr* 2008;87:558-566.
- 117** Motard-Bélanger A, Charest A, Grenier G et al. Study of the effect of trans fatty acids from ruminants on blood lipids and other risk factors for cardiovascular disease. *Amer J Clin Nutr* 2008;87:593-9.
- 118** Kempner W. Treatment of hypertensive vascular disease with rice diet .*North Carolina Med J* 1944;5:155.

- ¹¹⁹ Dahl LK, Heine M. Primary role of renal homografts in setting chronic blood pressure levels in rats. *Circ Res* 1975;36:692-6.
- ¹²⁰ Dahl LK, Love RA. Evidence for relationship between sodium (chloride) intake and human essential hypertension. *AMA Arch Intern Med* 1954;94:525-31.
- ¹²¹ Pickering G. Hypertension in general practice. *J R Soc Med* 1978;71:885-889.
- ¹²² Platt R. The nature of essential hypertension. *Lancet* 1959;2:55-7.
- ¹²³ Miall W E, Chinn S. Screening for hypertension: some epidemiological observations. *BMJ* 1974;3:595-600.
- ¹²⁴ Lawes CMM, Vander Hoorn S, Law MR, Elliott P, MacMahon S, Rodgers A. High blood pressure. In: Ezzati M, Lopez A, Rogers A, Murray CJL, eds. Comparative quantification of health risks. Geneva: WHO, 2004; p. 281-390.
- ¹²⁵ Rose G. Strategies of prevention: the individual and the population. In: Marmot M, Elliott P, eds. Coronary heart disease epidemiology. From aetiology to public health. Oxford, Oxford University Press, 2005. p. 631-641.
- ¹²⁶ James WPT, Ralph, A, Sanchez Castillo CP. The dominance of salt in manufactured food in the sodium intake of affluent societies. *Lancet* 1987;1:426 429.
- ¹²⁷ Intersalt Cooperative Research Group. Intersalt: an international study of electrolyte excretion and blood pressure. Results for 24 hour urinary sodium and potassium excretion. *BMJ* 1988;297:319-28.
- ¹²⁸ Law MR, Frost CD, Wald NJ. By how much does dietary salt reduction lower blood pressure? I-Analysis of observational data among populations. *BMJ* 1991;302:811-5.
- ¹²⁹ Frost CD, Law MR, Wald NJ. By how much does dietary salt reduction lower blood pressure? II-Analysis of observational data within populations. *BMJ* 1991;302:815-8.
- ¹³⁰ Law MR, Frost CD, Wald NJ. By how much does dietary salt reduction lower blood pressure? III-Analysis of data from trials of salt reduction. *BMJ* 1991;302:819-24.
- ¹³¹ Hanneman RL. Intersalt: hypertension rise with age revisited. *BMJ* 1996;312:1283-1284.
- ¹³² Le Fanu J. Cross cultural studies such as Intersalt study cannot be used to infer causality. *BMJ* 1997; 315:484.
- ¹³³ Whalley H. Salt and hypertension: convention or controversy. *Lancet* 1997;350:1686.
- ¹³⁴ Sacks FM, Svetkey LP, Vollmer WM, Appel LJ, Bray GA, Harsha D, et al. Effects on blood pressure of reduced dietary sodium and the Dietary Approaches to Stop Hypertension (DASH) diet. DASH-Sodium Collaborative Research Group. *N Engl J Med* 2001;344:3-10.
- ¹³⁵ Vollmer WM, Sacks FM, Ard J, Appel LJ, Bray GA, Simons-Morton DG, Conlin PR, Svetkey LP, Erlinger TP, Moore TJ, Karanja N. DASH-Sodium Trial Collaborative Research Group. Effects of diet and sodium intake on blood pressure: subgroup analysis of the DASH-sodium trial. *Ann Intern Med*. 2001;135:1019-28.
- ¹³⁶ Bray GA, Vollmer WM, Sacks FM, Obarzanek E, Svetkey LP, Appel LJ. DASH Collaborative Research Group. A further subgroup analysis of the effects of the DASH diet and three dietary sodium levels on blood pressure: results of the DASH-Sodium Trial. *Am J Cardiol*. 2004;94:222-7. Erratum in: *Am J Cardiol* 2010;105:579.
- ¹³⁷ Stamler R, Stamler J, Gosch FC, Civinelli J, Fishman J, McKeever P, McDonald A, Dyer AR. Primary prevention of hypertension by nutritional-hygienic means. Final report of a randomized, controlled trial. *JAMA* 1989;262:1801-7. Erratum in: *JAMA* 1989;262:3132.
- ¹³⁸ Law M, Wald N, Morris J. Lowering blood pressure to prevent myocardial infarction and strokes: a new preventive strategy. *Health Technology Assessment* 2003;7:31.
- ¹³⁹ Chrysant GS. High salt intake and cardiovascular disease: is there a connection? *Nutrition* 2000;16:662-4.
- ¹⁴⁰ Meneton P, Jeunemaitre X, de Wardener HE, MacGregor GA. Links between dietary salt intake, renal salt handling, blood pressure, and cardiovascular diseases. *Physiol Rev* 2005;85:679-715.
- ¹⁴¹ Alderman MH. Evidence relating dietary sodium to cardiovascular disease. *J Am Coll Nutr* 2006;25:256S-61S.
- ¹⁴² He FJ, MacGregor GA. Effect of longer-term modest salt reduction on blood pressure. *Cochrane Database Syst Rev* 2004; CD004937.

- 143** Hooper L, Bartlett C, Davey SM, Ebrahim S. Reduced dietary salt for prevention of cardiovascular disease. Cochrane Database Syst Rev 2003; CD003656.
- 144** Jurgens G, Graudal NA. Effects of low sodium diet versus high sodium diet on blood pressure, renin, aldosterone, catecholamines, cholesterol, and triglyceride. Cochrane Database Syst Rev 2004; CD004022.
- 145** He FJ, MacGregor GA. Importance of salt in determining blood pressure in children: meta-analysis of controlled trials. Hypertension 2006;48:861-9.
- 146** Denton D, Weisinger R, Mundy NI, Wickings EJ, Dixson A, Moisson P, et al. The effect of increased salt intake on blood pressure of chimpanzees. Nat Med 1995;1:1009-16.
- 147** Elliott P, Walker LL, Little MP, Blair-West JR, Shade RE, Lee DR, et al. Change in salt intake affects blood pressure of chimpanzees: implications for human populations. Circulation 2007;116:1563-8.
- 148** de Wardener HE, He FJ, MacGregor GA. Plasma sodium and hypertension. Kidney Int 2004;66:2454-66.
- 149** Bie P, Wamberg S, Kjolby M. Volume natriuresis vs. pressure natriuresis. Acta Physiol Scand 2004;181:495-503.
- 150** Katori M, Majima M. A missing link between a high salt intake and blood pressure increase. J Pharmacol Sci 2006;100:370-90.
- 151** Khalil RA. Dietary salt and hypertension: new molecular targets add more spice. Am J Physiol Regul Integr Comp Physiol 2006;290:R509-R513.
- 152** Iwamoto T, Kita S, Zhang J, Blaustein MP, Arai Y, Yoshida S, et al. Salt-sensitive hypertension is triggered by Ca²⁺ entry via Na⁺/Ca²⁺ exchanger type-1 in vascular smooth muscle. Nat Med 2004;10: 1193-9.
- 153** Beeks E, Kessels AG, Kroon AA, van der Klauw MM, de Leeuw PW. Genetic predisposition to salt-sensitivity: a systematic review. J Hypertens 2004;22:1243-9.
- 154** Mattes RD, Falkner B. Salt-sensitivity classification in normotensive adults. Clin Sci 1999;96:449-59.
- 155** de la SA, Giner V, Bragulat E, Coca A. Lack of correlation between two methods for the assessment of salt sensitivity in essential hypertension. J Hum Hypertens 2002;16:255-60.
- 156** Franco V, Oparil S. Salt sensitivity, a determinant of blood pressure, cardiovascular disease and survival. J Am Coll Nutr 2006;25:247S-55S.
- 157** Tolonen H, Mahonen M, Asplund K, Rastenyte D, Kuulasmaa K, Vanuzzo D, et al. Do trends in population levels of blood pressure and other cardiovascular risk factors explain trends in stroke event rates? Comparisons of 15 populations in 9 countries within the WHO MONICA Stroke Project. World Health Organization Monitoring of Trends and Determinants in Cardiovascular Disease. Stroke 2002;33:2367-75.
- 158** Lopez AD, Mathers CD, Ezzati M, Jamison DT, Murray CJ. Global and regional burden of disease and risk factors, 2001: systematic analysis of population health data. Lancet 2006;367:1747-57.
- 159** Asaria P, Chisholm D, Mathers C, Ezzati M, Beaglehole R. Chronic disease prevention: health effects and financial costs of strategies to reduce salt intake and control tobacco use. Lancet 2007;370:2044-53.
- 160** Appel LJ, Champagne CM, Harsha DW, Cooper LS, Obarzanek E, Elmer PJ, et al. Effects of comprehensive lifestyle modification on blood pressure control: main results of the PREMIER clinical trial. JAMA 2003;289:2083-93.
- 161** Whelton PK, Appel LJ, Espeland MA, Applegate WB, Ettinger WH Jr, Kostis JB, et al. Sodium reduction and weight loss in the treatment of hypertension in older persons: a randomized controlled trial of nonpharmacologic interventions in the elderly (TONE). TONE Collaborative Research Group. JAMA 1998;279:839-46.
- 162** Tuomilehto J, Jousilahti P, Rastenyte D, Molchanov V, Tanskanen A, Pietinen P, et al. Urinary sodium excretion and cardiovascular mortality in Finland: a prospective study. Lancet 2001;357:848-51.
- 163** Cook NR, Cutler JA, Obarzanek E, Buring JE, Rexrode KM, Kumanyika SK, et al. Long term effects of dietary sodium reduction on cardiovascular disease outcomes: observational follow-up of the trials of hypertension prevention (TOHP). BMJ 2007;334:885-8.
- 164** Cook NR, Obarzanek E, Cutler JA, Buring JE, Rexrode KM, Kumanyika SK, et al. Joint effects of sodium and potassium intake on subsequent cardiovascular disease: the Trials of Hypertension Prevention follow-up study. Arch Intern Med 2009;169:32-40.

- ¹⁶⁵ Appel LJ, Moore TJ, Obarzanek E, Vollmer WM, Svetkey LP, Sacks FM, et al. A clinical trial of the effects of dietary patterns on blood pressure. DASH Collaborative Research Group. *N Engl J Med* 1997;336:1117-24.
- ¹⁶⁶ Alderman MH, Cohen H, Madhavan S. Dietary sodium intake and mortality: the National Health and Nutrition Examination Survey (NHANES I). *Lancet* 1998;351:781-5.
- ¹⁶⁷ Cohen HW, Hailpern SM, Fang J, Alderman MH. Sodium intake and mortality in the NHANES II follow-up study. *Am J Med* 2006;119:275-14.
- ¹⁶⁸ Cohen HW, Hailpern SM, Alderman MH. Sodium intake and mortality follow-up in the Third National Health and Nutrition Examination Survey (NHANES III). *J Gen Intern Med* 2008;23:1297-302.
- ¹⁶⁹ Laatikainen T, Pietinen P, Valsta L, Sundvall J, Reinivuo H, Tuomilehto J. Sodium in the Finnish diet: 20-year trends in urinary sodium excretion among the adult population. *Eur J Clin Nutr* 2006;60(8):965-70.
- ¹⁷⁰ Vartiainen E, Laatikainen T, Peltonen M, Juolevi A, Männistö S, Sundvall J, Jousilahti P, Salomaa V, Valsta L, Puska P. Thirty-five-year trends in cardiovascular risk factors in Finland. *Int J Epidemiol* 2010;39:504-18.
- ¹⁷¹ Strazzullo P, D'Elia L, Kandala NB, Cappuccio FP. Salt intake, stroke, and cardiovascular disease: meta-analysis of prospective studies. *BMJ* 2009;339:b4567.
- ¹⁷² Becker W on behalf of the panel. Opinion of the scientific panel on dietetic products, nutrition and allergies on a request from the Commission related to the tolerable upper intake level of sodium. *The EFSA Journal* 2005;209:1-26.
- ¹⁷³ Goldstein LB, Adams R, Alberts MJ, Appel LJ, Brass LM, Bushnell CD, et al. Primary prevention of ischemic stroke: a guideline from the American Heart Association/American Stroke Association Stroke Council: cosponsored by the Atherosclerotic Peripheral Vascular Disease Interdisciplinary Working Group; Cardiovascular Nursing Council; Clinical Cardiology Council; Nutrition, Physical Activity, and Metabolism Council; and the Quality of Care and Outcomes Research Interdisciplinary Working Group. *Circulation* 2006;113:e873-e923.
- ¹⁷⁴ Van HL, McCoin M, Kris-Etherton PM, Burke F, Carson JA, Champagne CM, et al. The evidence for dietary prevention and treatment of cardiovascular disease. *J Am Diet Assoc* 2008;108:287-331.
- ¹⁷⁵ Bernstein AM, Willett WC. Trends in 24-h urinary sodium excretion in the United States, 1957-2003: a systematic review. *AJCN* 2010;92:1172-80.
- ¹⁷⁶ See <http://www.food.gov.uk/multimedia/pdfs/08sodiumreport.pdf>; Karppanen H, Mervaala E. Sodium intake and hypertension. *Prog Cardiovasc Dis* 2006;49:59-75.
- ¹⁷⁷ He FJ, MacGregor GA. A comprehensive review on salt and health and current experience of worldwide salt reduction programmes. *Journal of Human Hypertension* 2009;23:363-84.
- ¹⁷⁸ Yudkin J. Sucrose and cardiovascular disease. *Proc Nutr Soc* 1972;31:331-7.
- ¹⁷⁹ Ruxton CH, Gardner EJ, McNulty HM. Is sugar consumption detrimental to health? A review of the evidence 1995-2006. *Crit Rev Food Sci Nutr*;50:1-19.
- ¹⁸⁰ Brown CM, Dulloo AG, Montani JP. Sugary drinks in the pathogenesis of obesity and cardiovascular diseases. *Int J Obes* 2008;32 Suppl 6:S28-34.
- ¹⁸¹ Johnson RK, Appel LJ, Brands M, et al. Dietary sugars intake and cardiovascular health: a scientific statement from the American Heart Association. *Circulation* 2009;120:1011-20.
- ¹⁸² Feig DI, Kang DH, Johnson RJ. Uric acid and cardiovascular risk. *N Engl J Med* 2008;359:1811-21.
- ¹⁸³ Johnson RJ, Segal MS, Sautin Y, et al. Potential role of sugar (fructose) in the epidemic of hypertension, obesity and the metabolic syndrome, diabetes, kidney disease, and cardiovascular disease. *Am J Clin Nutr* 2007;86:899-906.
- ¹⁸⁴ European Food Safety Authority. 2010 Scientific Opinion on Dietary Reference Values for carbohydrates and dietary fibre. *EFSA Journal* 2010;8(3):1462.
- ¹⁸⁵ Yudkin J, Roddy J. Levels of Dietary Sucrose in Patients with Occlusive Atherosclerotic Disease. *Lancet* 1964;2:6-8.

- 186** Keys A. Sucrose in the diet and coronary heart disease. *Atherosclerosis* 1971;14:193-202.
- 187** Bolton-Smith C, Woodward M. Coronary heart disease: prevalence and dietary sugars in Scotland. *J Epidemiol Community Health* 1994;48:119-22.
- 188** Liu S, Willett WC, Stampfer MJ, et al. A prospective study of dietary glycemic load, carbohydrate intake, and risk of coronary heart disease in US women. *Am J Clin Nutr* 2000;71:1455-61.
- 189** Fung TT, Malik V, Rexrode KM, Manson JE, Willett WC, Hu FB. Sweetened beverage consumption and risk of coronary heart disease in women. *Am J Clin Nutr* 2009;89:1037-42.
- 190** Dhingra R, Sullivan L, Jacques PF, et al. Soft drink consumption and risk of developing cardiometabolic risk factors and the metabolic syndrome in middle-aged adults in the community. *Circulation* 2007;116:480-8.
- 191** Bombard AS, Derebail VK, Shoham DA, et al. Sugar-sweetened soda consumption, hyperuricemia, and kidney disease. *Kidney Int* 2010;77:609-616.
- 192** Nguyen S, Choi HK, Lustig RH, Hsu CY. Sugar-sweetened beverages, serum uric acid, and blood pressure in adolescents. *J Pediatr* 2009;154:807-13.
- 193** Bremer AA, Auinger P, Byrd RS. Relationship between insulin resistance-associated metabolic parameters and anthropometric measurements with sugar-sweetened beverage intake and physical activity levels in US adolescents: findings from the 1999-2004 National Health and Nutrition Examination Survey. *Arch Pediatr Adolesc Med* 2009;163:328-35.
- 194** Aeberli I, Zimmermann MB, Molinari L, et al. Fructose intake is a predictor of LDL particle size in overweight schoolchildren. *Am J Clin Nutr* 2007;86:1174-8.
- 195** Malik VS, Popkin BM, Bray GA, Despres JP, Willett WC, Hu FB. Sugar-sweetened beverages and risk of metabolic syndrome and type 2 diabetes—A meta-analysis. *Diabetes Care* 2010;33:2477-2483.
- 196** van Baak MA, Astrup A. Consumption of sugars and body weight. *Obes Rev* 2009; 10 Suppl 1: 9-23.
- 197** van Dam RM, Seidell JC. Carbohydrate intake and obesity. *Eur J Clin Nutr* 2007;61:S75-99.
- 198** Israel KD, Michaelis OEt, Reiser S, Keeney M. Serum uric acid, inorganic phosphorus, and glutamic-oxalacetic transaminase and blood pressure in carbohydrate-sensitive adults consuming three different levels of sucrose. *Ann Nutr Metab* 1983;27:425-35.
- 199** Van der Schaaf MR, Koomans HA, Joles JA. Dietary sucrose does not increase twenty-four-hour ambulatory blood pressure in patients with either essential hypertension or polycystic kidney disease. *J Hypertens* 1999;17:453-4.
- 200** Sorensen LB, Raben A, Stender S, Astrup A. Effect of sucrose on inflammatory markers in overweight humans. *Am J Clin Nutr* 2005;82:421-7.
- 201** White JS. Misconceptions about high-fructose corn syrup: is it uniquely responsible for obesity, reactive dicarbonyl compounds, and advanced glycation endproducts? *J Nutr* 2009;139:1219S-1227S.
- 202** Livesey G. Fructose ingestion: dose-dependent responses in health research. *J Nutr* 2009;139:1246S-1252S.
- 203** Dolan LC, Potter SM, Burdock GA. Evidence-based review on the effect of normal dietary consumption of fructose on development of hyperlipidemia and obesity in healthy, normal weight individuals. *Crit Rev Food Sci Nutr*;50:53-84.
- 204** EU Press release IP/09/366. CAP reform: Commission welcomes success of EU sugar reform as restructuring process concludes. 2009.
- 205** Elliott SS, Keim NL, Stern JS, Teff K, Havel PJ. Fructose, weight gain, and the insulin resistance syndrome. *Am J Clin Nutr* 2002;76:911-22.
- 206** Laville M, Nazare JA. Diabetes, insulin resistance and sugars. *Obes Rev* 2009;10 Suppl 1:24-33.
- 207** Chong MF, Fielding BA, Frayn KN. Mechanisms for the acute effect of fructose on postprandial lipemia. *Am J Clin Nutr* 2007;85:1511-20.
- 208** Angelopoulos TJ, Lowndes J, Zukley L, et al. The effect of high-fructose corn syrup consumption on triglycerides and uric acid. *J Nutr* 2009;139:1242S-1245S.
- 209** Akhavan T, Anderson GH. Effects of glucose-to-fructose ratios in solutions on subjective satiety, food intake, and satiety hormones in young men. *Am J Clin Nutr* 2007;86:1354-63.

- 210** Schaefer EJ, Gleason JA, Dansinger ML. Dietary fructose and glucose differentially affect lipid and glucose homeostasis. *J Nutr* 2009;139:1257S-1262S.
- 211** Howard BV, Wylie-Rosett J. Sugar and cardiovascular disease: A statement for healthcare professionals from the Committee on Nutrition of the Council on Nutrition, Physical Activity, and Metabolism of the American Heart Association. *Circulation* 2002;106:523-7.
- 212** Lichtenstein AH, Appel LJ, Brands M, et al. Diet and lifestyle recommendations revision 2006: a scientific statement from the American Heart Association Nutrition Committee. *Circulation* 2006;114:82-96.
- 213** Nishida C, Nocito FM, Mann J. FAO/WHO Scientific Update on Carbohydrates. *E J Clin Nutr*. 2007;61:Supplement 1.
- 214** Cummings JH, Stephen AM. Carbohydrate terminology and classification. *Eur J Clin Nutr* 2007;61:Supp 1, S5- S18.
- 215** Asp NG. Dietary fibre analysis--an overview. *Eur J Clin Nutr* 1995;49 Suppl 3:S42-47.
- 216** EFSA Statement of the Scientific Panel on Dietetic Products, Nutrition and Allergies on a request from the Commission related to dietary fibre. EFSA, 2007.
- 217** Englyst HN, Quigley ME, Hudson GJ. Definition and measurement of dietary fibre. *Eur J Clin Nutr* 1995; 49 Suppl 3:S48-62.
- 218** National Academy of Sciences. Dietary references Intakes, Proposed definition of dietary fibre. Washington: National Academy of Sciences, 2001.
- 219** EFSA Scientific opinion on Dietary Reference values for carbohydrates and dietary fibre. EFSA, 2010. <http://www.efsa.europa.eu/it/scdocs/doc/1462.htm>. accessed 26.3.2010
- 220** Van Soest PJ, Robertson JB. What is fibre and fibre in food? *Nutr Rev* 1977;35:12-22.
- 221** Stephen AM. 2006 (as set out in Cummings JH, Stephen AM Carbohydrate terminology and classification. *Eur J Clin Nutr* 2007;61:Supp 1,S5- S18.)
- 222** Southgate DA, Hudson GJ, Englyst H. The analysis of dietary fibre--the choices for the analyst. *J Sci Food Agric* 1978;29(11):979-88.
- 223** World Health Organization. Diet, Nutrition and the Prevention of Chronic Diseases. WHO Technical Report, Series 797. Geneva: WHO, 1990.
- 224** World Cancer Research Fund/ American Institute for Cancer Research. Food, Nutrition, Physical activity and the Prevention of Cancer: a Global Perspective. Washington DC: AICR, 2007
- 225** World Cancer Research Fund/ American Institute for Cancer Research. Policy and Action for Cancer Prevention. Food, Nutrition, and Physical Activity: a global Perspective. Washington DC: AICR, 2009
- 226** Mente A, de Koning L, Shannon HS, Anand SS. A systematic review of the evidence supporting a causal link between dietary factors and coronary heart disease. *Arch Intern Med* 2009;169:659-69.
- 227** Cust AE, Skilton MR, van Bakel MM, Halkjaer J, Olsen A, Agnoli C, Psaltopoulou T, Buurma E, Sonestedt E, Chirlaque MD, Rinaldi S, Tjønneland A, Jensen MK, Clavel-Chapelon F, Boutron-Ruault MC, Kaaks R, Nöthlings U, Chloptsios Y, Zylis D, Mattiello A, Caini S, Ocké MC, van der Schouw YT, Skeie G, Parr CL, Molina-Montes E, Manjer J, Johansson I, McTaggart A, Key TJ, Bingham S, Riboli E, Slimani N. Total dietary carbohydrate, sugar, starch and fibre intakes in the European Prospective Investigation into Cancer and Nutrition. *Eur J Clin Nutr* 2009;63 Suppl 4:S37-60. Supplementary information at <http://epic.iarc.fr/SNIPE/cust.pdf>
- 228** Buil-Cosiales P, Irimia P, Ros E, Riverol M, Gilabert R, Martínez-Vila E, Núñez I, Diez-Espino J, Martínez-González MA, Serrano-Martínez M. Dietary fibre intake is inversely associated with carotid intima-media thickness: a cross-sectional assessment in the PREDIMED study. *Eur J Clin Nutr* 2009;63:1213-9.
- 229** NHS. 5 A DAY: what counts? Last reviewed: 18/12/2009 [cited 2010 22/02/2010]. Available from: <http://www.nhs.uk/Livewell/5ADAY/Pages/Whatcounts.aspx>.
- 230** Dauchet L, Amouyel P, Hercberg S, Dallongeville J. Fruit and vegetable consumption and risk of coronary heart disease: a meta-analysis of cohort studies. *J Nutr* 2006;136(10):2588-93.
- 231** He FJ, Nowson CA, Lucas M, MacGregor GA. Increased consumption of fruit and vegetables is related to a reduced risk of coronary heart disease: meta-analysis of cohort studies. *J Hum Hypertens* 2007;21(9):717-28.

- 232** Huxley RR, Neil HA. The relation between dietary flavonol intake and coronary heart disease mortality: a meta-analysis of prospective cohort studies. *Eur J Clin Nutr* 2003;57(8):904-8.
- 233** Pereira MA, O'Reilly E, Augustsson K, Fraser GE, Goldbourt U, Heitmann BL, et al. Dietary fiber and risk of coronary heart disease: a pooled analysis of cohort studies. *Arch Intern Med* 2004;164(4):370-6.
- 234** Dauchet L, Amouyel P, Dallongeville J. Fruit and vegetable consumption and risk of stroke: a meta-analysis of cohort studies. *Neurology* 2005;65(8):1193-7.
- 235** He FJ, Nowson CA, MacGregor GA. Fruit and vegetable consumption and stroke: meta-analysis of cohort studies. *Lancet* 2006;367(9507):320-6.
- 236** Hill AB. The environment and disease: association or causation? *Proc R Soc Med* 1965; 58: 295-300.
- 237** Knekter P, Ritz J, Pereira MA, O'Reilly EJ, Augustsson K, Fraser GE, et al. Antioxidant vitamins and coronary heart disease risk: a pooled analysis of 9 cohorts. *Am J Clin Nutr* 2004;80(6):1508-20.
- 238** Marlett JA, Hosig KB, Vollendorf NW, Shinnick FL, Haack VS, Story JA. Mechanism of serum cholesterol reduction by oat bran. *Hepatology* 1994;20(6):1450-7.
- 239** Keenan JM, Pins JJ, Frazel C, Moran A, Turnquist L. Oat ingestion reduces systolic and diastolic blood pressure in patients with mild or borderline hypertension: a pilot trial. *J Fam Pract* 2002;51(4):369.
- 240** Chandalia M, Garg A, Lutjohann D, von Bergmann K, Grundy SM, Brinkley LJ. Beneficial effects of high dietary fiber intake in patients with type 2 diabetes mellitus. *N Engl J Med* 2000;342(19):1392-8.
- 241** Young DB, Lin H, McCabe RD. Potassium's cardiovascular protective mechanisms. *Am J Physiol* 1995;268:R825-37.
- 242** Serra-Majem L, Trichopoulou A, Ngo de la Cruz J, Cervera P, Garcia Alvarez A, La Vecchia C, et al. Does the definition of the Mediterranean diet need to be updated? *Public Health Nutr* 2004;7(7):927-9.
- 243** Sofi F, Cesari F, Abbate R, Gensini GF, Casini A. Adherence to Mediterranean diet and health status: meta-analysis. *BMJ* 2008;337:a1344.
- 244** Panagiotakos DB, Pitsavos C, Polychronopoulos E, Chrysohoou C, Zampelas A, Trichopoulou A. Can a Mediterranean diet moderate the development and clinical progression of coronary heart disease? A systematic review. *Medical Science Monitor* 2004;10(8).
- 245** Yusuf S, Hawken S, Ounpuu S, Bautista L, Franzosi MG, Commerford P, Lang CC, Rumboldt Z, Onen CL, Lisheng L, Tanomsup S, Wangai P Jr, Razak F, Sharma AM, Anand SS. (The INTERHEART Study Investigators). Obesity and the risk of myocardial infarction in 27,000 participants from 52 countries: a case-control study. *Lancet* 2005;366:1640-9.
- 246** Huxley R, James WP, Barzi F, Patel JV, Lear SA, Suriyawongpaisal P, Janus E, Caterson I, Zimmet P, Prabhakaran D, Reddy S, Woodward M. Obesity in Asia Collaboration. Ethnic comparisons of the cross-sectional relationships between measures of body size with diabetes and hypertension. *Obes Rev* 2008;9 Suppl 1:53-61.
- 247** Dobbelsteyn CJ, Joffres MR, MacLean DR, Flowerdew G. A comparative evaluation of waist circumference, waist-to-hip ratio and body mass index as indicators of cardiovascular risk factors. *The Canadian Heart Health Surveys. IJO* 2001;25:652-61.
- 248** Dalton M, Cameron AJ, Zimmet PZ, Shaw JE, Jolley D, Dunstan DW, Welborn TA. AusDiab Steering Committee. Waist circumference, waist-hip ratio and body mass index and their correlation with cardiovascular disease risk factors in Australian adults. *J Intern Med* 2003;254:555-63.
- 249** Van Dis I, Kromhout D, Geleijnse JM, Boer JM, Verschuren WM. Body mass index and waist circumference predict both 10-year nonfatal and fatal cardiovascular disease risk: study conducted in 20,000 Dutch men and women aged 20-65 years. *Eur J Cardiovasc Prev Rehabil* 2009 Dec;16(6):729-34.
- 250** Sanchez-Castillo CP, Velasquez-Monroy O, Lara-Esqueda A, Berber A, Sepulveda J, Tapia-Conyer R, James WPT. Diabetes and hypertension increases in a society with abdominal obesity: results of the Mexican National Health Survey 2000. *Public Health Nutrition* 2000;8(1):53-60.
- 251** Rokholm B, Baker JL, Sorensen TIA. The levelling off of the obesity epidemic since the year 1999 - a review of evidence and perspectives. *Obesity Reviews* 2010;11:835-846.

- 252** Cassano PA, Segal MR, Vokonas PS, Weiss ST. Body fat distribution, blood pressure, and hypertension. A prospective cohort study of men in the normative aging study. *Annals of Epidemiology* 1990;1(1):33.
- 253** Stubbs RJ, Harbron CG, Murgatroyd PR, Prentice AM. Covert manipulation of dietary fat and energy density: effect on substrate flux and food intake in men eating ad libitum. *AJCN* 1995;62:316-329.
- 254** Stubbs RJ, Prentice AM, James WPT. Carbohydrates and energy balance. *Ann N Y Acad Sci* 1997;819:44-69.
- 255** Popkin, BM. The nutrition transition and obesity in the developing world. *J Nutr* 2001;131:871S-873S.
- 256** Bray GA, Popkin BM. Dietary fat intake does affect obesity. *AJCN* 1998;68:1157-1173.
- 257** Rosenbaum M, Goldsmith R, Bloomfield D, Magnano A, Weimer L, Heymsfield S, Gallagher D, Mayer L, Murphy E, Leibel RL. Low-dose leptin reverses skeletal muscle, autonomic, and neuroendocrine adaptations to maintenance of reduced weight. *JCI* 2005;115:3579-86.
- 258** Rosenbaum M, Kissileff HR, Mayer LE, Hirsch J, Leibel RL. Energy intake in weight-reduced humans. *Brain Res* 2010;1350:95-102.
- 259** Wing RR, Hill JO. Successful weight loss maintenance. *Annu Rev Nutr* 2001;21:323-41.
- 260** Astrup A, Dyerberg J, Selleck M, Stender S. Nutrition transition and its relationship to the development of obesity and related chronic diseases. *Obes Rev* 2008;Suppl 1:48-52.
- 261** Strik CM, Lithander FE, McGill AT, MacGibbon AK, McArdle BH, Poppitt SD. No evidence of differential effects of SFA, MUFA or PUFA on post-ingestive satiety and energy intake: a randomised trial of fatty acid saturation. *Nutr J* 2010;9:24.
- 262** Field AE, Willett WC, Lissner L, Colditz GA. Dietary fat and weight gain among women in the Nurses' Health Study. *Obesity* 2007;15:967-976.
- 263** Lawton CL, Burley VJ, Wales JK, Blundell JE. Dietary fat and appetite control in obese subjects: weak effects on satiation and satiety. *IJO* 1993;17:409-416.
- 264** Laugeronne, F Passilly-Degrace P, Patris B, Niot I, Febbraio M, Montmayeur J-P, Besnard P. CD36 involvement in orosensory detection of dietary lipids, spontaneous fat preference, and digestive secretions. *JCI* 2005;115:3177-3184.
- 265** Cartoni C, Yasumatsu K, Ohkuri T, Shigemura N, Yoshida R, Godinot N, le Coutre J, Ninomiya Y, Damak S. Taste preference for fatty acids is mediated by GPR40 and GPR120. *J Neurosci* 2010;30:8376-82.
- 266** Ezzati M, Hoorn SV, Lawes CMM, Leach R, James WPT, Lopez AD, Rodgers A, Murray CJL. Rethinking the «diseases of affluence» paradigm: global patterns of nutritional risks in relation to economic development. *PLoS Medicine* 2005;2:E133, 0404-0412.
- 267** He FJ, Marrero NM, MacGregor GA. Salt intake is related to soft drink consumption in children and adolescents: a link to obesity? *Hypertension* 2008;51:629-34.
- 268** Livhits M. Exercise Following Bariatric Surgery: Systematic Review. *Obesity Surgery* 2010;20(5):657-665.
- 269** Iqbal R, Anand S, Ounpuu S, Islam S, Zhang X, Rangarajan S, Chifamba J, Al-Hinai A, Keltai M, Yusuf S. INTERHEART Study Investigators. Dietary patterns and the risk of acute myocardial infarction in 52 countries: results of the INTERHEART study. *Circulation* 2008;118(19):1929-37.
- 270** O'Donnell MJ, Xavier D, Liu L, Zhang H, Chin SL, Rao-Melacini P, Rangarajan S, Islam S, Pais P, McQueen MJ, Mondo C, Damasceno A, Lopez-Jaramillo P, Hankey GJ, Dans AL, Yusoff K, Truelsen T, Diener HC, Sacco RL, Ryglewicz D, Czlonkowska A, Weimar C, Wang X, Yusuf S; INTERSTROKE investigators. Risk factors for ischaemic and intracerebral haemorrhagic stroke in 22 countries (the INTERSTROKE study): a case-control study. *Lancet* 2010;376:112-23.
- 271** Whitlock G, Lewington S, Sherliker P, Clarke R, Emberson J, Halsey J, Qizilbash N, Collins R, Peto, R. Body-mass index and cause-specific mortality in 900 000 adults: collaborative analyses of 57 prospective studies. *Lancet* 2009;373:1083-1096.
- 272** Zhang X, Patel A, Horibe H, Wu Z, Barzi F, Rodgers A, MacMahon S, Woodward M; Asia Pacific Cohort Studies Collaboration. Cholesterol, coronary heart disease, and stroke in the Asia Pacific region. *Int J Epidemiol* 2003;32(4):563-72.

- 273** Hamdy O. Lifestyle modification improves endothelial function in obese subjects with the insulin resistance syndrome. *Diabetes Care* 2003;26 (7):2119.
- 274** Lewington S, Clarke R, Qizilbash N, Peto R, Collins R. Prospective Studies Collaboration. Age-specific relevance of usual blood pressure to vascular mortality: a meta-analysis of individual data for one million adults in 61 prospective studies. *Lancet* 2002;360:1903-13.
- 275** Lewington S, Whitlock G, Clarke R, Sherliker P, Emberson J, Halsey J, Qizilbash N, Peto R, Collins R. Blood cholesterol and vascular mortality by age, sex, and blood pressure: a meta-analysis of individual data from 61 prospective studies with 55,000 vascular deaths. *Lancet* 2002;370:1829-1839.
- 276** Whitlock G, Lewington S, Mhurchu CN. Coronary heart disease and body mass index: a systematic review of the evidence from larger prospective cohort studies. *Semin Vasc Med* 2002;2:369-81.
- 277** Asia Pacific Cohort Studies Collaboration. Impact of cigarette smoking on the relationship between body mass index and coronary heart disease: a pooled analysis of 3264 stroke and 2706 CHD events in 378579 individuals in the Asia Pacific region. *BMC Public Health* 2009;9:294.
- 278** Adams KF. Overweight, obesity, and mortality in a large prospective cohort of persons 50 to 71 years old. *New England Journal of Medicine* 2006;355 (8):763.
- 279** James WPT. Compiler of Research on Obesity. A Report of the DHSS/MRC Group. London: HMSO, 1976.
- 280** Baker JL, Olsen LW, Sørensen TI. Childhood body-mass index and the risk of coronary heart disease in adulthood. *N Engl J Med* 2007;357(23):2329-37.
- 281** Saleh, J Sniderman AD, Cianflone K. Regulation of Plasma fatty acid metabolism. *Clinica chimica acta [Online]* 1999;286:163-180.
- 282** Bosello O, Zamboni M. Visceral obesity and metabolic syndrome. *Obesity Reviews* 2000;1(1):47-56.
- 283** DeFronzo RA, Ferrannini E. Insulin resistance. A multifaceted syndrome responsible for NIDDM, obesity, hypertension, dyslipidemia, and atherosclerotic cardiovascular disease. *Diabetes Care* 1991;14(3):173-194.
- 284** Kotsis V, Stabouli S, Papakatsika S, Rizos Z, Parati G. Mechanisms of obesity-induced hypertension. *Hypertens Res* 2010;33:386-93.
- 285** Wood PD. Changes in plasma lipids and lipoproteins in overweight men during weight loss through dieting as compared with exercise. *New Eng J Med* 1988;319(18);1173.
- 286** Layman DK, Boileau RA, Erickson DJ, Painter JE, Shiue H, Sather C, Christou DD. A Reduced Ratio of Dietary Carbohydrate to Protein Improves Body Composition and Blood Lipid Profiles during Weight Loss in Adult Women. *Journal of Nutrition* 2003;133 (2):411-417.
- 287** James WPT. Effect of sibutramine on weight maintenance after weight loss: a randomised trial*. *Lancet* 2000;356 (9248):2119.
- 288** Sjöström CD. Reduction in incidence of diabetes, hypertension and lipid disturbances after intentional weight loss induced by bariatric surgery: the SOS Intervention Study. *Obesity Research* 1999;7:477.
- 289** Ye J, Keller JN. Regulation of energy metabolism by inflammation: a feedback response in obesity and calorie restriction. *Aging* 2010;2:361-8.
- 290** Alam I, Lewis K, Stephens JW, Baxter JN. Obesity, metabolic syndrome and sleep apnoea: all pro-inflammatory states. *Obesity Reviews* 2007;8(2):119-127.
- 291** Wolf HK, Tuomilehto J, Kuulasmaa K, Domarkiene S, Cepaitis Z, Molarius A, Sans S, Dobson A, Keil U, Rywik S. Blood pressure levels in the 41 populations of the WHO MONICA Project. *Journal of human hypertension* 1997;11(11):733.
- 292** Kastarinen MJ, Nissinen AM, Vartiainen EA, Jousilahti PJ, Korhonen HJ, Puska PM, Tuomilehto. Blood pressure levels and obesity trends in hypertensive and normotensive Finnish population from 1982 to 1997. *Journal of Hypertension* 2000;18 (3):255.
- 293** Bosello O, Zamboni M. Visceral obesity and metabolic syndrome. *Obesity Reviews* 2000; 1 (1): 47-56.
- 294** Katan MB. The response of lipoproteins to dietary fat and cholesterol in lean and obese persons. *Curr Cardiol Rep* 2006;8:446-51.

- 295** Brouwer IA, Wanders AJ, Katan MB. Effect of animal and industrial trans fatty acids on HDL and LDL cholesterol levels in humans-a quantitative review. *PLoS One* 2010;5:e9434.
- 296** Goldstein DJ. Beneficial health effects of modest weight loss. *International Journal of Obesity* 1992;16(6):397.
- 297** Pi-Sunyer FX. A review of long-term studies evaluating the efficacy of weight loss in ameliorating disorders associated with obesity. *Clinical Therapeutics* 1996;18 (6):1006.
- 298** Ryan DH. Nonsurgical weight loss for extreme obesity in primary care settings: results of the Louisiana Obese Subjects Study. *Archives of Internal Medicine* 2010;170 (2):146.
- 299** Eriksson KF, Lindgarde F. Prevention of type 2 (non-insulin-dependent) diabetes mellitus by diet and physical exercise: the 6-year Malmo feasibility study. *Diabetologia* 1991;34:891-8.
- 300** Tuomilehto J, Lindstrom J, Eriksson JG, Valle TT, Hamalainen H, Ilanne_Parikka P, Keinanen_Kiukaanniemi S, Laakso M, Louheranta A, Rastas M, Salminen V, Uusitupa M. Prevention of type 2 diabetes mellitus by changes in lifestyle among subjects with impaired glucose tolerance. *N Engl J Med* 2001;344:1343-50.
- 301** Diabetes Prevention Program Research Group. Reduction in the incidence of Type 2 Diabetes with lifestyle intervention or Metformin. *N Engl J Med* 2002;346:393-403.
- 302** Pan XR, Li GW, Hu YH, Wang JX, Yang WY, An ZX, Hu ZX, Lin J, Xiao JZ, Cao HB, Liu PA, Jiang XG, Jiang YY, Wang JP, Zheng H, Zhang H, Bennett PH, Howard BV. Effects of diet and exercise in preventing NIDDM in people with impaired glucose tolerance: The Da Qing IGT and Diabetes Study. *Diabetes Care* 1997;20:537-544.
- 303** Ramachandran A, Snehalatha C, Mary S, Mukesh B, Bhaskar AD, Vijay V. The Indian Diabetes Prevention Programme shows that lifestyle modification and metformin prevent type 2 diabetes in Asian Indian subjects with impaired glucose tolerance (IDPP-1). *Diabetologia* 2006;49:289-297.
- 304** Yaari S, Goldbourt U. Voluntary and involuntary weight loss: associations with long term mortality in 9,228 middle-aged and elderly men. *American Journal of Epidemiology* 1998;148:546.
- 305** Diehr P, Bild DE, Harris TB, Duxbury A, Siscovick D, Rossi M. Body mass index and mortality in nonsmoking older adults: the Cardiovascular Health Study. *Am J Public Health* 1998;88:623.
- 306** French SA, Folsom AR, Jeffery RW, Williamson DF. Prospective study of intentionality of weight loss and mortality in older women: the Iowa Women's Health Study. *American Journal of Epidemiology* 1999;149:504.
- 307** Sørensen TIA. Weight loss causes increased mortality: pros. *Obesity Reviews* 2003;4:3.
- 308** Yang D, Fontaine KR, Wang C, Allison DB. Weight loss causes increased mortality: cons. *Obesity Reviews* 2003;4:9.
- 309** Williamson DF. Intentional weight loss and mortality among overweight individuals with diabetes. *Diabetes Care* 2000;23:1499.
- 310** Williamson DF, Pamuk E, Thun M, Flanders D, Byers T, Heath C. Prospective Study of Intentional Weight Loss and Mortality in Overweight White Men Aged 40-64 Years. *American Journal of Epidemiology* 1999;149:491-503.
- 311** Sjostrom LV. Mortality of severely obese subjects. *AJCN* 1992;55:516S.
- 312** Gregg EW. Trying to lose weight, losing weight, and 9-year mortality in overweight US adults with diabetes. *Diabetes Care* 2004;27:657.
- 313** Grunstein RR. Two year reduction in sleep apnea symptoms and associated diabetes incidence after weight loss in severe obesity. *Sleep* 2007;30:703.
- 314** Kim S. Long-Term Follow-up of the Metabolic Profiles in Obese Patients With Type 2 Diabetes Mellitus After Roux-en-Y Gastric Bypass. *Annals of Surgery* 2010;251:1049.
- 315** le Roux CW. Gut hormone profiles following bariatric surgery favor an anorectic state, facilitate weight loss, and improve metabolic parameters. *Annals of Surgery* 2006;243:108.
- 316** Sjöström L. Bariatric surgery and reduction in morbidity and mortality: experiences from the SOS study. *International Journal of Obesity* 2008;32:S93.
- 317** Sjostrom L. Effects of bariatric surgery on mortality in Swedish obese subjects. *New Engl J Med* 2007;357:741.
- 318** Christou N. Surgery Decreases Long-term Mortality, Morbidity, and Health Care Use in Morbidly Obese Patients. *Annals of Surgery* 2004;240:416.

- 319** Flum DR, Dellinger EP. Impact of gastric bypass operation on survival: A population-based analysis. *Journal of the American College of Surgeons* 2004;199:543-551.
- 320** Adams TD. Long-term mortality after gastric bypass surgery. *New Engl J Med* 2007;357:753.
- 321** Williamson DF. Prospective study of intentional weight loss and mortality in never-smoking overweight US white women aged 40-64 years. *American Journal of Epidemiology* 1995;141:1128.
- 322** Hubert HB. Obesity as an independent risk factor for cardiovascular disease: a 26-year follow-up of participants in the Framingham Heart Study. *Circulation* 1983;67:968.
- 323** Rabkin SW. Relation of body weight to development of ischemic heart disease in a cohort of young north American men after a 26 year observation period: The manitoba study.* *The American Journal of Cardiology* 1977;39:452.
- 324** Horwitz TB, Fonarow GC, Hamilton MA, MacLellan WR, Woo MA, Tillisch JH. The relationship between obesity and mortality in patients with heart failure. *Journal of the American College of Cardiology* 2001;38:789.
- 325** Davos CH. Body mass and survival in patients with chronic heart failure without cachexia: the importance of obesity. *Journal of Cardiac Failure* 2003;9:29.
- 326** Abdulla J. Impact of obesity as a mortality predictor in high-risk patients with myocardial infarction or chronic heart failure: a pooled analysis of five registries. *European Heart Journal* 2008;29:594.
- 327** James WPT. The obesity epidemic, metabolic syndrome and future prevention strategies. *European Journal of Cardiovascular Prevention and Rehabilitation* 2004;11:3.
- 328** Falaschetti E, Chaudhury M, Mindell J, Poulter N. Continued Improvement in Hypertension Management in England: Results From the Health Survey for England 2006. *Hypertension* 2009;53:480-486.
- 329** Ono T, Guthold R, Strong K. WHO comparable estimates 2005. <http://www.who.int/infobase>. IB ref 199999.
- 330** NHS Information Centre. The health survey for England, 2007. The health and social care information centre. Available from www.ic.nhs.uk/pubs/hse07healthylifestyles. Accessed 23 May 2011.
- 331** Knoops KTB, de Groot, Lisette CPGM, Kromhout D, Perrin A, Moreiras-Varela O, Menotti A, van Staveren W. Mediterranean diet, lifestyle factors, and 10-year mortality in elderly European men and women: the HALE project. *JAMA* 2004;292:1433.
- 332** Brunner E, Mosdøl A, Witte D, Martikainen P, Stafford M, Shipley M, Marmot M. Dietary patterns and 15-y risks of major coronary events, diabetes, and mortality. *AJCN* 2008;87:1414.
- 322** Brunner E, Rees K, Burke M, Thorogood M. Dietary advice for reducing cardiovascular risk. *Cochrane Database Syst Rev* 2007; CD002128.
- 334** Howard BV. Low-fat dietary pattern and risk of cardiovascular disease: the Women's Health Initiative Randomized Controlled Dietary Modification Trial. *JAMA* 2006;295:655.
- 335** Pietinen P, Lahti-Koski M, Vartiainen E, Puska P. Nutrition and cardiovascular disease in Finland since the early 1970s: a success story. *J Nutr* 2001;101:150.
- 336** World Health Organization. *Obesity: preventing and managing the global epidemic*. WHO Technical Report Series No. 894. WHO: Geneva, 2000.
- 337** Avenell A, Broom J, Brown TJ, Poobalan A, Aucott L, Stearns SC, Smith WCS, Jung RT, Campbell MK, Grant AM. Systematic review of the long-term effects and economic consequences of treatments for obesity and implications for health improvement. *Health Technology Assessment* 2004;8(21):iii.
- 338** PAGAC. Physical Activity Guidelines Advisory Committee Report 2008. Washington DC: US Department of Health and Human Services, 2008.
- 339** Nocon M, Hiemann T, Muller-Riemenschneider F, Thalau F, Roll S, Willich SN. Association of physical activity with all-cause and cardiovascular mortality: a systematic review and meta-analysis. *Eur J Cardiovasc Prev Rehabilit* 2008;15: 239-246.
- 340** Sofi S, Capalbo A, Cesari F, Abbate R, Gensini GF. Physical activity during leisure time and primary prevention of coronary heart disease: an updated meta-analysis of cohort studies. *Eur J Cardiovasc Prev Rehabilit*. 2008;15:247-257.
- 341** Oguma S, Shinoda-Tagawa T. Physical activity decreases cardiovascular disease risk in women: review and meta-analysis. *Am J Prev Med* 2004;26:407-418.

- 342** Lee CD, Folsom AR, Blair SN. Physical activity and stroke risk. A meta-analysis. *Stroke* 2003;34:2475-2482.
- 343** Wendel-Vos GCW, Schuit AJ, Feskens EJM, Boshuizen HC, Verschuren WMM, Saris WHM, Kromhout D. Physical activity and stroke. A meta-analysis of observational data. *Int J Epidemiol* 2004; 33: 787-798.
- 344** Reimers CD, Knapp G, Reimers AK. Exercise as stroke prophylaxis. *Dtsch Arztbl Int* 2009;106:7115-721.
- 345** Chiuve SC, Rexrode KM, Spiegelman D, Logroscino G, Manson JE, Rimm, EB. Primary prevention of stroke by healthy lifestyle. *Circulation* 2008;118:947-954.
- 346** McDermott MM, Ades P, Guralnik JM et al. Treadmill exercise and resistance training in patients with peripheral arterial disease with and without intermittent claudication. *JAMA* 2009;301:165-174.
- 347** Spronk S, Bosch JL den Hoed PT, Veen HF, Pattynama PM, Hunink MG. Cost-effectiveness of endovascular revascularization compared to supervised hospital-based exercise training in patients with intermittent claudication: a randomized controlled trial. *J Vasc Surg* 2008;48:1472-1480.
- 348** Spronk S, Bosch JL den Hoed PT, Veen HF, Pattynama PM, Hunink MG. Intermittent claudication: clinical effectiveness of endovascular revascularization versus supervised hospital-based exercise training – randomized controlled trial. *Radiology* 2009;250:586-95.
- 349** Watson L, Ellis B, Leng GC. Exercise for intermittent claudication. *Cochrane Database Syst Rev* 2008;4: CD000990.
- 350** Hamer M, Chida Y. Active commuting and cardiovascular risk: a meta-analytic review. *Prev Med* 2008;46:9-13.
- 351** Zheng H, Orsini N, Amin J, Wolk A, Nguyen VTT, Ehrlich F. Quantifying the dose-response of walking in reducing coronary heart disease risk: meta-analysis. *Eur J Epidemiol* 2009;24:181-192.
- 352** Boone-Heinonen J, Evenson KR, Taber DR, Gordon-Larsen P. Walking for prevention of cardiovascular disease in men and women: a systematic review of observational studies. *Obesity Reviews* 2008;10:204-217.
- 353** Hamer M, Chida Y. Walking and primary prevention: a meta-analysis of prospective cohort studies. *Br J Sports Med* 2007. doi:10.1136/bjsm.2007.039974
- 354** Oja P, Titze S, Bauman A, de Geus B, Krenn P, Reger-Nash B, and Kohlberger T. Health benefits of cycling; a systematic review. *Scand J Med Sci Sports* 2011, in press.
- 355** Hoevenaar-Blom M P, Wendel-Vos GCV, Spijkerman AMW, Kromhout D, Verschuren WMM. Cycling and sports, but not walking, are associated with 10-year cardiovascular disease incidence: the MORGEN study. *European Journal of Cardiovascular Prevention and Rehabilitation* 2011;18:41-47.
- 356** Tanasescu M, Leitzmann MF, Rimm EB, Willett WC, Stampfer MJ, Hu FB. Exercise type and intensity in relation to coronary heart disease in men. *JAMA* 2002;288:1994-2000.
- 357** Besson H, Ekelund U, Brage S, Luben R, Bingham S, Khaw KT, Wareham NJ. Relationship between subdomains of total physical activity and mortality. *Medicine and Science in Sports and Exercise* 2008;40: 1909-1915.
- 358** Matthews CE, Jurj AL, Shu XO, Li HL, Yang G, Li Q, Gao YT, and Zheng W. Influence of exercise, walking, cycling, and overall nonexercise physical activity on mortality in Chinese women. *American Journal of Epidemiology* 2007;165:1343-1350.
- 359** Meyer P, Kayser B, Mach F. Stair use for cardiovascular disease prevention. *Eur J Cardiovasc Prev Rehabil*. 2009;16:S17-S18.
- 360** Kodama S, Kazumi S, Tanaka S et al. Cardiorespiratory fitness as a quantitative predictor of all-cause mortality and cardiovascular events in healthy men and women: a meta-analysis. *JAMA* 2009;301:2024-2035.
- 361** Braith RW, Stewart KJ. Resistance exercise training. Its role in the prevention of cardiovascular disease. *Circulation* 2006;113:2642-2650.
- 362** Williams MA, Haskell WL, Ades PA et al. Resistance exercise in individuals with and without cardiovascular disease: 2007 update: a scientific statement from the American Heart Association Council on Clinical Cardiology and Council on Nutrition, Physical Activity, and Metabolism. *Circulation* 2007;116:572-584.
- 363** Andersen LB. Relative risk of mortality in the physically inactive is underestimated because of real changes in exposure level during follow-up. *Am J Epidemiol* 2004;160:189-95.

- 364** Stringhini S, Sabia S, Shipley M et al. Association of socioeconomic position with health behaviors and mortality. *JAMA* 2010;303:1159-1166.
- 365** Stampfer MJ, Hu FB, Manson JE, Rimm EB, Willett WC. Primary prevention of coronary heart disease in women through diet and lifestyle. *N Engl J Med* 2000;343:16-22.
- 366** Knoops KT, de Groot LC, Kromhout D et al. Mediterranean diet, lifestyle factors, and 10-year mortality in elderly European men and women: the HALE project. *JAMA* 2004;292:1433-1439.
- 367** Kurth T, Moore SC, Gaziano JM, Kase CS, Stampfer MJ, Berger K, Buring JE. Healthy lifestyle and the risk of stroke in women. *Arch Intern Med* 2006;166:1403-1409.
- 368** Chiuve SC, McCullough ML, Sacks FM, Rimm EB. Healthy lifestyle factors in the primary prevention of coronary heart disease among men: benefits among users and nonusers of lipid-lowering and antihypertensive medications. *Circulation* 2006;114:160-167.
- 369** McGuire KA, Janssen I, Ross R. Ability of physical activity to predict cardiovascular disease beyond commonly evaluated cardiometabolic risk factors. *Am J Cardiol* 2009;104:1522-1526.
- 370** Iestra JA, Kromhout D, van der Schouw YT, Grobbee DE, Boshuizen HC, van Staveren WA. Effect size estimates of lifestyle and dietary changes on all-cause mortality in coronary disease patients. A systematic review. *Circulation* 2005;112:924-934.
- 371** Fagard RH, Cornelissen VA. Effect of exercise on blood pressure control in hypertensive patients. *Eur J Cardiovasc Prev Rehabil.* 2007;14:12-17.
- 372** Kodama S, Tanaka S, Saito K et al. Effect of aerobic training on serum levels of high-density lipoprotein cholesterol. A meta-analysis. *Arch Intern Med* 2007;167:999-1008.
- 373** Tambalis K, Panagiotakos DB, Kavouras SA, Sidossis LS. Responses of blood lipids to aerobic, resistance, and combined aerobic with resistance exercise training: a systematic review of current evidence. *Angiology* 2009;60:614-632.
- 374** ACSM. American College of Sports Medicine. Appropriate physical activity intervention strategies for weight loss and prevention of weight regain for adults. *Med Sci Sports Exercise* 2009; DOI: 10.1249/MSS.0b01381949333.
- 375** Lee I-M, Djousse L, Sesso HD et al. Physical activity and weight gain. *JAMA* 2010;303:1173-1179.
- 376** Institute of Medicine. Dietary reference intakes for energy, carbohydrate, fiber, fat, fatty acids, cholesterol, protein, and amino acids (macronutrients). Washington, DC: National Academies Press, 2002.
- 377** Brown T, Avenell A, Edmunds LD et al. Systematic review of long-term lifestyle interventions to prevent weight gain and morbidity in adults. *Obes Rev* 2009;10:627-638.
- 378** Söderlund A, Fischer A, Johansson T. Physical activity, diet and behaviour modification in the treatment of overweight and obese adults: a systematic review. *Perspect Public Health* 2009;129:1132-142.
- 379** Wu T, Gao X, Chen M, van Dam RM. Long-term effectiveness of diet-plus-exercise interventions vs. diet-only interventions for weight loss: a meta-analysis. *Obes Rev* 2009;10:313-323.
- 380** Livhits M. Exercise Following Bariatric Surgery: Systematic Review. *Obesity Surgery* 2010; 20: 657-665.
- 381** Fogelholm M. Physical activity, fitness and fatness: relations to mortality, morbidity and disease risk factors. A systematic review. *Obesity Reviews* 2009; doi: 10.1111/j.1467-789x.2009.00653.
- 382** Sesso HD, Paffenbarger RS Jr, Lee IM. Physical activity and coronary heart disease in men: the Harvard Alumni Health Study. *Circulation* 2000;102:975-980.
- 383** Hu G, Tuomilehto J, Silventoinen K, Barengo N, Jousilahti P. Joint effects of physical activity, body mass index, waist circumference and waist-to-hip ratio with the risk of cardiovascular disease among Finnish men and women. *Eur Heart J* 2004;25:2212-2219.
- 384** Weinstein AR, Sesso HD, Lee IM, Rexrode KM, Cook NR, Manson JE, Buring JE, Gaziano J. The joint effects of physical activity and body mass index on coronary heart disease risk in women. *Arch Intern Med* 2008;168:884-890.
- 385** Mora S, Cook N, Buring JE, Lee IM. Physical activity and reduced risk of cardiovascular events: potential mediating mechanism. *Circulation* 2007;116:2110-2118.
- 386** McGuire KA, Janssen I, Ross R. Ability of physical activity to predict cardiovascular disease beyond commonly evaluated cardiometabolic risk factors. *Am J Cardiol* 2009;104:1522-1526.
- 387** Wilund KR. Is the anti-inflammatory effect of regular exercise responsible for reduced cardiovascular disease? *Clin Sci* 2007;112:543-555.

- 388** Mathur N, Pedersen BK. Exercise as a mean to control low-grade systemic inflammation. *Mediators of inflammation* 2008; Article ID 109502.
- 389** Leung FP, Yung LM, Laher I, Yao X, Chen ZY, Huang Y. Exercise, vascular wall and cardiovascular diseases: n update (Part 1). *Sports Med* 2008; 38: 1009-1024.
- 390** Seals DR, DeSouza CA, Donato AJ, Tanaka H. Habitual exercise and arterial aging. *J Appl Physiol* 2008; 105:1323-1332.
- 391** Di Francescomarino S, Sciaffilli A, Di Valerio V, Baldassarre A, Gallina S. The effect of physical exercise on endothelial function. *Sports Med* 2009;39:797-812.
- 392** Yung LM, Laher I, Yao X , Chen ZY, Huang Y, Leung FP. Exercise, vascular wall and cardiovascular diseases: n update (Part 2). *Sports Med* 2009;39:45-63.
- 393** Green DJ, O'Driscoll G, Joyner MJ, Cable NT. Exercise and cardiovascular risk reduction: Time to update rationale for exercise. *J Appl Physiol*. 2008;105:766-768.
- 394** Joyner MJ, Green DJ. Exercise protects the cardiovascular system: effects beyond traditional risk factors. *J Physiol* 2009;587:5551-5558.
- 395** Welk GJ, ed. Physical activity assessments for health-related research. Champaign, Ill: Human Kinetics, 2002.
- 396** Must A, Bandini LG, Tybor DJ, Phillips SM, Naumova EN, Dietz WH. Activity, inactivity, and screen time in relation to weight and fatness over adolescence in girls. *Obesity* 2007;15:1774-1781.
- 397** Cleland VJ, Schmidt MD, Dwyer T, Venn AJ. Television viewing and abdominal obesity in young adults: is the association mediated by food and beverage consumption during viewing time or reduced leisure-time physical activity? *Am J Clin Nutr* 2008;87:1148-1155.
- 398** Eisenmann JC, Bartee RT, Smith DT, Welk GJ, Fu Q. Combined influence of physical activity and television viewing on the risk of overweight in US youth. *Int J Obesity* 2008; 32: 613-618.
- 399** Healy GN, Salmon DW, Shaw JE, Zimmet PZ, Owen N. Television time and continuous metabolic risk in physically active adults. *Med Sci Sports Exerc* 2008;40:639-645.
- 400** Helmerhorst HJ, Wijndaele K, Brage S, Wareham NJ, Ekelund U. Objectively measured sedentary time may predict insulin resistance independent of moderate- and vigorous-intensity physical activity. *Diabetes* 2009;58:1776-1779.
- 401** Sisson SB, Camhi SM, Church TS et al. Leisure time sedentary behaviour, occupational/domestic physical activity and metabolic syndrome in U.S. men and women. *Metab Syndr Relat Disord* 2009;7:529-536.
- 402** Dunstan DW, Barr ELM, Healy GN et al. Television viewing time and mortality. The Australian Diabetes, Obesity and lifestyle study (AusDiab). *Circulation* 2010;121:384-391.
- 403** Reynolds K, Lewis B, Nolen JD, Kinney GL, Sathyia B, He J. Alcohol consumption and risk of stroke: a meta-analysis. *JAMA* 2003;289(5):579-88.
- 404** Di Castelnuovo A, Rotondo S, Iacoviello L, Donati MB, de Gaetano G. Meta-analysis of wine and beer consumption in relation to vascular risk. *Circulation* 2002;105(24):2836-44.
- 405** Klatsky AL. Alcohol and cardiovascular health. *Physiol Behav*. 2010;100(1):76-81.
- 406** Collins MA, Neafsey EJ, Mukamal KJ, Gray MO, Parks DA, Das DK, Korthuis RJ. Alcohol in moderation, cardioprotection, and neuroprotection: epidemiological considerations and mechanistic studies. *Alcohol Clin Exp Res*. 2009;33(2):206-19.
- 407** Corrao G, Bagnardi V, Zambon A, La Vecchia C. A meta-analysis of alcohol consumption and the risk of 15 diseases. *Prev Med*. 2004;38:613-619.
- 408** Di Castelnuovo A, Costanzo S, Bagnardi, Donati MB, Iacoviello L, de Gaetano G. Alcohol Dosing and Total Mortality in Men and Women: an Updated Meta-Analysis of 34 Prospective Studies. *Arch Intern Med*. 2006;166:2437-45.
- 409** Rehm J, Mathers C, Popova S, Thavorncharoensap M, Teerawattananon Y, Patra J. Global burden of disease and injury and economic cost attributable to alcohol use and alcohol-use disorders. *Lancet* 2009; 373:2223-2233.
- 410** Fillmore KM, Stockwell T, Chikritzhs T, Bostrom A, Kerr W. Moderate alcohol use and reduced mortality risk: systematic error in prospective studies and new hypotheses. *Ann Epidemiol*. 2007;17(5 Suppl):S16-23.

- 411** Di Castelnuovo A, Costanzo S, di Giuseppe R, de Gaetano G, Iacoviello L. Alcohol consumption and cardiovascular risk: mechanisms of action and epidemiologic perspectives. Future Cardiol. 2009;5(5):467-77.
- 412** Costanzo S, Di Castelnuovo A, Donati MB, Iacoviello L, de Gaetano G. Alcohol consumption and mortality in patients with cardiovascular disease: a meta-analysis. J Am Coll Cardiol. 2010; 55(13):1339-47.
- 413** O'Keefe JH, Bybee KA, Lavie CJ. Alcohol and Cardiovascular Health. The Razor-Sharp Double-Edged Sword. Journal of the American College of Cardiology. 2007;50:1009-1014.
- 414** Piazzon A, Forte M, Nardini M. Characterization of phenolics content and antioxidant activity of different beer types. J Agric Food Chem. 2010; 58(19):10677-83.
- 415** Di Castelnuovo A, Iacoviello L, Furman K, Donati MB, de Gaetano G. Is wine or alcohol more beneficial in women? J Thromb Haemost 2004;2(11):2042-4.
- 416** Corrao G, Rubbiati L, Bagnardi V, Zambon A, Poikolainen K. Alcohol and coronary heart disease: a meta-analysis. Addiction 2000; 95(10):1505-23.
- 417** Di Castelnuovo A, Iacoviello L, de Gaetano G. Alcohol and coronary heart disease. N Engl J Med 2003; 348(17):1719-22.
- 418** Klatsky AL. Should patients with heart disease drink alcohol? JAMA 2001;285(15):2004-6.
- 419** Costanzo S, Di Castelnuovo A, Donati MB, Iacoviello L, de Gaetano G. Cardiovascular and overall mortality risk in relation to alcohol consumption in patients with cardiovascular disease. Circulation 2010; 121(17):1951-9.
- 420** Chobanian AV, Bakris GL, Black HR, Cushman WC, Green LA, Izzo JL Jr, Jones DW, Materson BJ, Oparil S, Wright JT Jr, Roccella EJ; Joint National Committee on Prevention, Detection, Evaluation, and Treatment of High Blood Pressure. National Heart, Lung, and Blood Institute; National High Blood Pressure Education Program Coordinating Committee. The Seventh Report of the Joint National Committee on Prevention, Detection, Evaluation, and Treatment of High Blood Pressure. Hypertension 2003;42:1206-1252.
- 421** Bulpitt CJ. How many alcoholic drinks might benefit an older person with hypertension? J Hypertens. 2005;23:1947-1951.
- 422** Koppes LL, Dekker JM, Hendriks HF, Bouter LM, Heine RJ. Moderate alcohol consumption lowers the risk of type 2 diabetes -a meta-analysis of prospective observational studies. Diabetes Care 2005;28:719-725.
- 423** Koppes LL, Dekker JM, Hendriks HF, Bouter LM, Heine RJ. Meta-analysis of the relationship between alcohol consumption and coronary heart disease and mortality in type 2 diabetic patients. Diabetologia 2006;49:648-652.
- 424** Howard AA, Arnstern JH, Gourevitch MN. Effect of alcohol consumption on diabetes mellitus. A systematic review. Ann Intern Med 2004;140:211-219.
- 425** Corrao G, Bagnardi V, Zambon A, La Vecchia C. A meta-analysis of alcohol consumption and the risk of 15 diseases. Prev Med 2004;38:613-619.
- 426** Bagnardi V, Zatonski W, Scotti L, La Vecchia C, Corrao G. Does drinking pattern modify the effect of alcohol on the risk of coronary heart disease? Evidence from a meta-analysis. J Epidemiol Community Health 2008; 62:615-619.
- 427** Balbão CE, de Paola AA, Fenelon G. Effects of alcohol on atrial fibrillation: myths and truths. Ther Adv Cardiovasc Dis 2009; 3(1):53-63.
- 428** Rehm J, Sempers CT, Trevisan M. Alcohol and cardiovascular disease -more than one paradox to consider. Average volume of alcohol consumption, patterns of drinking and risk of coronary heart disease- a review. J Cardiovasc Risk 2003; 10:15-20.
- 429** White IR, Altmann DR, Nanchahal K. Alcohol consumption and mortality: modelling risks for men and women at different ages. BMJ 2002;325:191.
- 430** Klatsky AL, Friedman GD, Armstrong MA, Kipp H. Wine, liquor, beer, and mortality. Am J Epidemiol. 2003;158(6):585-95. Am J Epidemiol 2004;160(3):299; author reply 299-300.
- 431** International Center of Alcohol Policies. Standard Drinks. ICAP, 2009. Available at: <http://www.icap.org/PolicyIssues/DrinkingGuidelines/StandardDrinks/tabid/126/Default.aspx>. Accessed January 05, 2011.
- 432** Costanzo S, Di Castelnuovo A, Donati MB, de Gaetano G, Iacoviello L. The relationship between alcohol consumption and cerebrovascular risk: from epidemiological evidence to biological plausibility. In: Padovani A, Pezzini A. Cerebral Ischemia in Young

adults. Brescia: Nova Science Publishers/Brescia University Medical School, 2009. p. 149-166.

433 Rehm J, Gmel G, Sempes CT, Trevisan M. Alcohol-related morbidity and mortality. *Alcohol Res Health* 2003;27:39-51.

434 de Lorgeril M, Salen P. Wine, alcohol and cardiovascular risk: open issue. *J Thromb Haemost* 2004; 2:2047-2048.

435 Homocysteine lowering trialists' collaboration. Dose-dependent effects of folic acid on blood concentrations of homocysteine: a meta-analysis of the randomized trials. *Am J Clin Nutr.* 2005;82:806-812.

436 Eussen SJ, de Groot LC, Clarke R, Schneede J, Ueland PM, Hoefnagels WH, et al. Oral cyanocobalamin supplementation in older people with vitamin B12 deficiency: a dose-finding trial. *Arch Intern Med* 2005;165:1167-1172.

437 McKinley MC, McNulty H, McPartlin J, Strain JJ, Pentieva K, Ward M, et al. Low-dose vitamin B-6 effectively lowers fasting plasma homocysteine in healthy elderly persons who are folate and riboflavin replete. *Am J Clin Nutr* 2001;73:759-764.

438 McNulty H, Dowey le RC, Strain JJ, Dunne A, Ward M, Molloy AM, et al. Riboflavin lowers homocysteine in individuals homozygous for the MTHFR 677C->T polymorphism. *Circulation* 2006;113:74-80.

439 McNulty H, Scott JM. Intake and status of folate and related B-vitamins: considerations and challenges in achieving optimal status. *Br J Nutr* 2008;99:S48-S54.

440 The Homocysteine Studies Collaboration. Homocysteine and risk of ischemic heart disease and stroke. *JAMA* 2002;288:2015-2022.

441 Wald DS, Law M, Morris JK. Homocysteine and cardiovascular disease: evidence on causality from a meta-analysis. *BMJ* 2002;325:1202-1208.

442 Toole JF, Malinow MR, Chambliss LE, et al. Lowering homocysteine in patients with ischemic stroke to prevent recurrent stroke, myocardial infarction, and death: the Vitamin Intervention for Stroke Prevention (VISP) randomized controlled trial. *JAMA* 2004;291:565-575.

443 Lonn E, Yusuf S, Arnold MJ, et al. The Heart Outcomes Prevention Evaluation 2 (HOPE-2) Investigators. Homocysteine

lowering with folic acid and B vitamins in vascular disease. *N Engl J Med* 2006;354:1567-1577.

444 Bønaa KH, Njølstad I, Ueland PM, et al. Homocysteine lowering and cardiovascular events after acute myocardial infarction. *N Engl J Med* 2006;354:1578-1588.

445 Albert CM, Cook NR, Gaziano JM, et al. Effect of folic acid and B vitamins on risk of cardiovascular events and total mortality among women at high risk for cardiovascular disease. A randomized trial. *JAMA* 2008;299:2027-2036.

446 Ebbing M, Bleie Ø, Ueland PM, et al. Mortality and cardiovascular events in patients treated with homocysteine-lowering B vitamins after coronary angiography: a randomized controlled trial. *JAMA* 2008;300:795-804.

447 Study of the Effectiveness of Additional Reductions in Cholesterol and Homocysteine (SEARCH) Collaborative Group. Effects of homocysteine-lowering with folic acid plus vitamin B12 vs placebo on mortality and major morbidity in myocardial infarction survivors. A randomized trial. *JAMA* 2010;303(24): 2486-2494.

448 Saposnik G, Ray JG, Sheridan P, Sheridan P, McQueen M, Lonn E, the HOPE 2 Investigators. Homocysteine-lowering therapy and stroke risk, severity, and disability: additional findings from the HOPE 2 trial. *Stroke* 2009;40:1365-1372.

449 Lee M, Hong K-S, Chang S-C, Saver JL. Efficacy of homocysteine-lowering therapy with folic acid in stroke prevention. A meta-analysis. *Stroke* 2010;41:1205-1212.

450 Wang X, Qin X, Demirtas H, et al. Efficacy of folic acid supplementation in stroke prevention: a meta-analysis. *Lancet* 2007;369:1876-1882.

451 Yang Q, Botto LD, Erickson JD, et al. Improvement in stroke mortality in Canada and the United States, 1990 to 2002. *Circulation* 2006;113:1335-1343.

452 Wilcken B, Bamforth F, Li Z, et al. Geographical and ethnic variation of the 677C T allele of 5, 10 methylenetetrahydrofolate reductase (MTHFR): findings from over 7000 newborns from 16 areas world wide. *J Med Genet* 2003; 40:619-625.

453 Frosst P, Blom HJ, Milos R, Goyette P, Sheppard CA, Matthews RG, Boers GH, den Heijer M, Kluijtmans LAJ, van den Heuve LP, Rozen, R. A candidate genetic risk factor for vascular

- disease: a common mutation in methylenetetrahydrofolate reductase. *Nat Genet* 1995;10:111-113.
- 454** Jacques PF, Boston AG, Williams RR, Ellison RC, Eckfeldt JH, Rosenberg IH, Selhub J, Rozen R. Relation between folate status, a common mutation in methylenetetrahydrofolate reductase, and plasma homocysteine concentrations. *Circulation* 1996; 93:7-9.
- 455** Klerk M, Verhoef P, Clarke R, Blom HJ, Kok FJ, Schouten EG; MTHFR Studies Collaboration Group. MTHFR C677T polymorphism and risk of coronary heart disease: a meta-analysis. *JAMA* 2002;288:2023-2031.
- 456** Lewis SJ, Ebrahim S, Davey-Smith G. Meta-analysis of the MTHFR 677CT polymorphism and coronary heart disease: does totality of evidence support causal role for homocysteine and preventative potential of folate. *BMJ* 2005;331:1053-1059.
- 457** Yamada K, Chen Z, Rozen R, Matthews RG. Effects of common polymorphisms on the properties of recombinant human methylenetetrahydrofolate reductase. *Proc Natl Acad Sci USA* 2001;98:14853-14858.
- 458** Wang W, Lee ET, Fabsitz RR et al. A longitudinal study of hypertension risk factors and their relation to cardiovascular disease: the Strong Heart Study. *Hypertension* 2006;47:403-409.
- 459** Staessen JA, Wang JG, Thijss L. Cardiovascular protection and BP reduction: a meta-analysis. *Lancet* 2001;358:1305-1315.
- 460** Wilson CP, McNulty H, Scott JM, Strain JJ, Ward M. The MTHFR C677T polymorphism, B-vitamins and blood pressure. *Proc Nutr Soc* 2010;69:156-165.
- 461** Horgan G, McNulty H, Ward M, Purvis JP, Strain JJ, Scott JM. Riboflavin lowers blood pressure in cardiovascular disease patients homozygous for the C677T polymorphism in MTHFR. *Journal of Hypertension* 2010; 28:478-486.
- 462** Antoniades C, Shirodaria C, Leeson P, Baarholm OA, Van-Assche T, Cunningham C, et al. MTHFR 677 C>T Polymorphism reveals functional importance for 5-methyltetrahydrofolate, not homocysteine, in regulation of vascular redox state and endothelial function in human atherosclerosis. *Circulation* 2009;119: 2507-2515.
- 463** Dickinson CJ. Does folic acid harm people with vitamin B12 deficiency? *QJM* 1995;88:357-64.
- 464** Morris MS, Jacques PF, Rosenberg IH, et al. Folate and vitamin B12 status in relation to anemia, macrocytosis, and cognitive impairment in older Americans in the age of folic acid fortification. *Am J Clin Nutr* 2007;85:193-200.
- 465** Cole BF, Baron JA, Sandler RS, et al. Folic acid for the prevention of colorectal adenomas: a randomized clinical trial. *JAMA* 2007;297:2351-2359.
- 466** Figueiredo JC, Grau MV, Haile RW, et al. Folic acid and risk of prostate cancer: results from a randomized clinical trial. *J Natl Cancer Inst* 2009;101:432-435.
- 467** Clarke R, Refsum H, Birks J, Grimley Evans J, Johnston C, Sherliker P, Ueland PM, Schneede J, McPartlin J, Nexo E, Scott JM. Screening for vitamin B-12 and folate deficiency in older persons. *Am J Clin Nutr* 2003;77:1241-7.
- 468** Malinow MR, Boston AG, Krauss RM. Homocyst(e)ine, diet, and cardiovascular diseases: a statement for healthcare professionals from the Nutrition Committee, American Heart Association. *Circulation* 1999;99:178-182.
- 469** Refsum H, Yajnik CS, Gadkari M, et al. Hyperhomocysteinemia and elevated methylmalonic acid indicate a high prevalence of cobalamin deficiency in Asian Indians. *Am J Clin Nutr* 2001;74:233-41.
- 470** Ruston D, Hoare J, Henderson L et al. The National Diet and Nutrition Survey: Adults aged 19 to 64 years. vol. 4: Nutritional status (anthropometry and blood analytes), blood pressure and physical activity. London: The Stationery Office, 2004.
- 471** Honarbakhsh S, Schachter M. Vitamins and cardiovascular disease. *Br J Nutr* 2009;101:1113-1131.
- 472** EFSA Panel on Dietetic Products, Nutrition and Allergies (NDA). Scientific opinion on the substantiation of health claims related to vitamin E and protection of DNA, proteins and lipids from oxidative damage, maintenance of the normal function of the immune system, maintenance of normal bone, maintenance of normal teeth, maintenance of normal hair, maintenance of normal skin, maintenance of normal nails, maintenance of normal cardiac function, maintenance of normal vision by protection of the lens of the eye, contribution to normal cognitive function, regeneration of the reduced form of vitamin C, maintenance of normal blood circulation and maintenance of a normal scalp pursuant to Article 13(1) of Regulation (EC) No 1924/2006. *EFSA Journal* 2010;8(10):1816.

473 EFSA Panel on Dietetic Products, Nutrition and Allergies (NDA). Scientific opinion on the substantiation of health claims related to vitamin C and the reduction of tiredness and fatigue, contribution to normal psychological functions, regeneration of the reduced form of vitamin E, contribution to normal energy-yielding metabolism, maintenance of the normal function of the immune system and protection of DNA, proteins and lipids from oxidative damage pursuant to Article 13 (1) of Regulation (EC) No 1924/2006. EFSA Journal 2010; 8(10):1815.

474 EFSA Panel on Dietetic Products, Nutrition and Allergies (NDA). Scientific Opinion on the substantiation of health claims related to various food(s)/food constituent(s) and protection of cells from premature ageing, antioxidant activity, antioxidant content and antioxidant properties, protection of DNA, proteins and lipids from oxidative damage and bioavailability of anthocyanins in black currants pursuant to Article 13 (1) of Regulation EC 1924/2006. EFSA Journal 2010; 8(10):1752.

475 Manach C, Scalbert A, Morand C, Rémésy C, Jiménez L. Polyphenols: food sources and bioavailability. Am J Clin Nutr 2004;79:727-747.

476 Holst B, Williamson G. Nutrients and phytochemicals: from bioavailability to bioefficacy beyond antioxidants. Curr Opin Biotechnol 2008;19:73-82.

477 Williamson G, Holst B. Dietary reference intake (DRI) value for dietary polyphenols: are we heading in the right direction? Br J Nutr 2008;99:S55-S58.

478 Scalbert A, Johnson IT, Saltmarsh M. Polyphenols: antioxidants and beyond. Am J Clin Nutr 2005;81:215S-217S.

479 Manach C, Mazur A, Scalbert A. Polyphenols and prevention of cardiovascular diseases. Curr Opin Lipidol 2005;16:77-84.

480 Erdman JW Jr, Balentine D, Arab L, Beecher G, Dwyer JT, Folts J, Harnly J, Hollman P, Keen CL, Mazza G, Messina M, Scalbert A, Vita J, Williamson G, Burrowes J. Flavonoids and heart health: Proceedings of the ILSI North America Flavonoids Workshop, May 31-June 1, 2005, Washington, DC. J Nutr 137 (suppl): 718S-737S, 2007

481 Hooper L, Kroon PA, Rimm EB, Cohn JS, Harvey I, Le Cornu KA, Ryder JJ, Hall WL, Cassidy A. Flavonoids, flavonoid-rich foods, and cardiovascular risk: a meta-analysis of randomized controlled trials. Am J Clin Nutr 88: 38-50, 2008

482 Arts ICW, Hollman PCH. Polyphenols and disease risk in epidemiological studies. Am J Clin Nutr 2005; 81):317S-325S.

483 Hollman PCH, Geelen A, Kromhout D. Dietary flavonol intake may lower stroke risk in men and women. J Nutr 2010;140:600-604.

484 Mink PJ, Scrafford CG, Barraj LM, Harnack L, Hong C-P, Nettleton JA, Jacobs DR Jr. Flavonoid intake and cardiovascular disease mortality: a prospective study. Am J Clin Nutr 2007;85:895-909.

485 Li S-H, Liu X-X, Bai Y-Y, Wang X-J, Sun K, Chen J-Z, Hui R-T. Effect of oral isoflavone supplementation on vascular endothelial function in postmenopausal women: a meta-analysis of randomized placebo-controlled trials. Am J Clin Nutr 2010;91:480-486.

486 Rimbach G, Melchin M, Moehring J, Wagner AE. Polyphenols from cocoa and vascular health — A critical review. Int J Mol Sci 2009;10:4290-4309.

487 Buijsse B, Feskens EJ, Kok FJ, Kromhout D. Cocoa intake, blood pressure, and cardiovascular mortality. The Zutphen Elderly Study. Arch Intern Med 2006;166:411-417.

488 Buijsse B, Weikert C, Drogan D, Bergmann M, Boeing H. Chocolate consumption in relation to blood pressure and risk of cardiovascular disease in German adults. Eur Heart J 2010;31:1616-1623.

489 Janszky I, Mukamal KJ, Ljung R, Ahnve S, Ahlbom A, Hallqvist J. Chocolate consumption and mortality following a first acute myocardial infarction: the Stockholm Heart Epidemiology Program. J Intern Med 2009;266:248-257.

490 Ding EL, Hutfless SM, Ding X, Girotra S. Chocolate and prevention of cardiovascular disease: a systematic review. Nutr Metab 2006;3:2. <http://www.nutritionandmetabolism.com/content/3/1/2>

491 Corti R, Flammer AJ, Hollenberg NK, Lüscher TF. Cocoa and cardiovascular health. Circulation 2009;119:1433-1441.

492 Rimbach G, Melchin M, Moehring J, Wagner AE. Polyphenols from cocoa and vascular health — A critical review. Int J Mol Sci 2009;10:4290-4309.

- 493** Taubert D, Roesen R, Schömig E. Effect of cocoa and tea intake on blood pressure: a meta-analysis. *Arch Intern Med* 2007;167:626-634.
- 494** Desch S, Schmidt J, Kobler D, Sonnabend M, Eitel I, Sareban M, Rahimi K, Schuler G, Thiele H. Effect of cocoa products on blood pressure: systematic review and meta-analysis. *Am J Hypertens* 2010;23:97-103.
- 495** Ried K, Sullivan T, Fakler P, Frank OR, Stocks NP. Does chocolate reduce blood pressure? A meta-analysis. *BMC Medicine* 2010;8:39. <http://www.biomedcentral.com/1741-7015/8/39>
- 496** Jia L, Liu X, Bai YY, Li SH, Sun K, He C, Hui R. Short-term effect of cocoa product consumption on lipid profile: a meta-analysis of randomized controlled trials. *Am J Clin Nutr* 2010;92:218-225.
- 497** Ostertag LM, O'Kennedy N, Kroon PA, Duthie GG, de Roos B. Impact of dietary polyphenols on human platelet function – a critical review of controlled dietary intervention studies. *Mol Nutr Food Res* 2010;54:60-81.
- 498** Grassi D, Aggio A, Onori L, Croce G, Tiberti S, Ferri C, Ferri L, Desideri G. Tea, flavonoids, and nitric oxide-mediated vascular reactivity. *J Nutr* 2008;138:1554S-1560S.
- 499** Peters U, Poole C, Arab L. Does tea affect cardiovascular disease? A meta-analysis. *Am J Epidemiol* 2001;154:495-503.
- 500** Gardner EJ, Ruxton CHS, Leeds AR. Black tea – helpful or harmful? A review of the evidence. *Eur J Clin Nutr* 2007;61:3-18.
- 501** Kuriyama S. The relation between green tea consumption and cardiovascular disease as evidenced by epidemiological studies. *J Nutr* 2008;138:1548S-1553S.
- 502** Arab L, Liu W, Elashoff D. Green and black tea consumption and risk of stroke. A meta-analysis. *Stroke* 2009;40:1786-1792.
- 503** Cordova AC, Jackson LSM, Berke-Schlessel DW, Sumpio BE. The cardiovascular protective effect of red wine. *J Am Coll Surg* 2005;428-439.
- 504** Opie LH, Lecour S. The red wine hypothesis: from concepts to protective signalling molecules. *Eur Heart J* 2007;28:1683-1693.
- 505** Karatzis K, Karatzis E, Papamichael C, Lekakis J, Zampelas A. Effects of red wine on endothelial function: postprandial studies vs clinical trials. *Nutr Metab Cardiovasc Dis* 2009;19:744-750.
- 506** Xiao CW. Health effects of soy protein and isoflavones in humans. *J Nutr* 2008;138:1244S-1249S.
- 507** Sacks FM, Lichtenstein A, Van Horn L, Harris W, Kris-Etherton P, Winston M. Soy protein, isoflavones, and cardiovascular health. An American Heart Association Science Advisory for Professionals from the Nutrition Committee. *Circulation* 2006;113:1034-1044.
- 508** Vogel JHK, Bolling SF, Costello RB, Guarneri EM, Krucoff MW, Longhurst JC, Olshansky B, Pelletier KR, Tracy CM, Vogel RA. Integrating complementary medicine into cardiovascular medicine: a report of the American College of Cardiology Foundation Task Force on Clinical Expert Consensus Documents (Writing Committee to Develop an Expert Consensus Document on Complementary and Integrative Medicine). *J Am Coll Cardiol* 2005;46:184-221.
- 509** Chong MF-F, Macdonald R, Lovegrove JA. Fruit polyphenols and CVD risk: a review of human intervention studies. *Br J Nutr* 2010;104:S28-S39.
- 510** McCance and Widdowson's The Composition of Foods, Sixth summary edition. Food Standards Agency. Cambridge: Royal Society of Chemistry, 2002.
- 511** Pavlovic M, Prentice A, Thorsdottir I, Wolfram G, Branca F. Challenges in harmonizing energy and nutrient recommendations in Europe. *Ann Nutr Metab* 2007;51:108-114.
- 512** EFSA. Scientific opinion on Dietary Reference Values for fats, including saturated fatty acids, polyunsaturated fatty acids, monounsaturated fatty acids, trans fatty acids, and cholesterol. *EFSA Journal* 2010;8(3):1461.
- 513** Stender S, Dyerberg J, Astrup A. High Levels of Industrially Produced Trans Fat in Popular Fast Foods. *New Engl J Med* 2006;354:1650-2.
- 514** World Health Organization. Global recommendations on physical activity for health. Geneva: WHO, 2010.
- 515** EU Physical Activity Guidelines. Recommended policy actions in support of health-enhancing physical activity. Brussels, 10 October 2008. Available from: <http://www.ehnheart.org/policy-issues/physical-activity.html>
- 516** FAO/WHO/UNU. Human energy requirements. Report of a Joint FAO/WHO/UNU Expert Consultation. FAO Food and Nutrition Technical Report Series 1. Rome: FAO.

- 517** FAO/WHO. Joint FAO/WHO Scientific Update on Carbohydrates in Human Nutrition. European Journal of Clinical Nutrition 2007;61:S1.
- 518** European Food Safety Authority. 2010 Scientific Opinion on Dietary Reference Values for carbohydrates and dietary fibre. EFSA Journal 2010;8(3):1462.
- 519** Brownell KD, Farley T, Willett WC, Popkin BM, Chaloupka FJ, Thompson JW, Ludwig DS. The public health and economic benefits of taxing sugar-sweetened beverages. *N Eng J Med* 2009; 361:1599-1605
- 520** <http://www.sst.dk/Sundhed%20og%20forebyggelse/Ernaering/Anbefaling%20om%20drikkevarer.aspx>
- 521** National Nutrition Council of Finland. Beverages in nutrition. Report of the National Nutrition Council of Finland, 2008. Available from: http://www.ravitsemusneuvottelukunta.fi/portal/en/nutrition_recommendations/special_recommendations/
- 522** World Health Organization Regional Office for Europe. Framework for alcohol policy in the WHO European Region. Copenhagen: WHO, 2009.
- 523** Anderson P, Gordon R. Recommendations about sensible drinking amounts. Results of a survey. Available from: http://ec.europa.eu/health/alcohol/events/ev_20090217_en.htm
- 524** Health Council of the Netherlands. Guidelines for a healthy diet 2006. The Hague: Health Council of the Netherlands, 2006. Publication no. 2006/21E.
- 525** European Food Safety Authority. Dietary reference values for water. Scientific opinion of the panel on dietetic products, nutrition and allergies. EFSA Journal 2008;1-49.
- 526** Trichopoulou A, Costacou T, Bamia C, Trichopoulos D. Adherence to a Mediterranean Diet and Survival in a Greek Population. *N Engl J Med* 2003;348:2599-2608.
- 527** Rumawas, ME, Dwyer JT, McKeown NM, Meigs JB, Rogers G, Jacques PF. The development of the Mediterranean-Style Dietary Pattern Score and its application to the American diet in the Framingham offspring cohort. *J Nutr* 2009;139(6):1150-1156.
- 528** Sofi F, Abbate R, Gensini GF, Casini A. Accruing evidence about benefits of adherence to the Mediterranean diet on health: an updated systematic review and meta-analysis. *Am J Clin Nutr* 2010;92:1189-1196.
- 529** Trichopoulou A, Bamia C, Trichopoulos D. Anatomy of health effects of Mediterranean diet: Greek EPIC prospective cohort study. *BMJ* 2009; 338:b2337.
- 530** Wald N, Law MR. A strategy to reduce cardiovascular disease by more than 80%. *BMJ* 2003;326:1419.
- 531** Watts G. What happened to the polypill? *BMJ* 2008;337:a1822.
- 532** The Indian Polycap Study (TIPS). Effects of a polypill (Polycap) on risk factors in middle-aged individuals without cardiovascular disease (TIPS): a phase II, double-blind, randomised trial. *Lancet* 2009;373:1341-1351.
- 533** Marshall T. News of the polypill. *BMJ* 2008;337:a2160.
- 534** EFSA Panel on Dietetic Products, Nutrition and Allergies (NDA). Scientific Opinion on the substantiation of health claims related to beta-glucans and maintenance of normal blood cholesterol concentrations (ID 754, 755, 757, 801, 1465, 2934) and maintenance or achievement of a normal body weight (ID 820, 823) pursuant to Article 13(1) of Regulation (EC) No 1924/2006 on request from the European Commission. *EFSA Journal* 2009;7(9):1254. [18 pp.]. doi:10.2903/j.efsa.2009.1254. Available online: www.efsa.europa.eu
- 535** EFSA Panel on Dietetic Products, Nutrition and Allergies (NDA). Scientific opinion on the substantiation of health claims related to EPA, DHA, DPA and maintenance of normal blood pressure (ID502), maintenance of normal HDL-cholesterol concentrations (ID515), maintenance of normal (fasting) blood concentrations of triglycerides (ID 517), maintenance of normal LDL-cholesterol concentrations (ID 528, 698) and maintenance of joints (ID 503,505, 507, 511, 518, 524, 526, 535 and 537) pursuant to Article 13 (1) of Regulation (EC) No 1924/2006. *EFSA Journal* 2009;7(9):1263.
- 536** EFSA Panel on Dietetic Products, Nutrition and Allergies (NDA). Scientific Opinion the substantiation of a health claim related to docosahexaenoic acid (DHA) and maintenance of normal (fasting) blood concentrations of triglycerides (ID 533, 691, 3150), protection of blood lipids from oxidative damage (ID 630), contribution to the maintenance or achievement of a normal body weight (ID 629), brain, eye and nerve development (ID 627, 689, 704, 742, 3148, 3151), maintenance of normal brain function (ID 565, 626, 631, 689, 690, 704, 742, 3148, 3151), maintenance of normal vision (ID 627, 632, 743, 3149) and maintenance of normal spermatozoa motility (ID 628) pursuant to Article 13(3) of Regulation (EC) No 1924/2006. *EFSA Journal* 2010;8(10):1734.

[27 pp.]. doi:10.2903/j.efsa.2010.1734. Available online: www.efsa.europa.eu/efsjournal.htm

537 EFSA Panel on Dietetic Products, Nutrition and Allergies (NDA). Scientific Opinion on the substantiation of health claims related to guar gum and maintenance of normal blood glucose concentrations (ID 794), increase in satiety (ID 795) and maintenance of normal blood cholesterol concentrations (ID 808) pursuant to Article 13(1) of Regulation (EC) No 1924/2006. EFSA Journal 2010; 8(2):1464. [17 pp.]. doi:10.2903/j.efsa.2010.1464. Available online: www.efsa.europa.eu.

538 EFSA Panel on Dietetic Products, Nutrition and Allergies; Scientific Opinion on the substantiation of health claims related to glucomannan and maintenance of normal blood cholesterol concentrations (ID 836, 1560) pursuant to Article 13(1) of Regulation (EC) No 1924/2006 on request from the European Commission. EFSA Journal 2009; 7(9):1258. [14 pp.]. doi:10.2903/j.efsa.2009.1258. Available online: www.efsa.europa.eu.

539 EFSA Panel on Dietetic Products, Nutrition and Allergies (NDA). Scientific Opinion on the substantiation of health claims related to linoleic acid and maintenance of normal blood cholesterol concentrations (ID 489) pursuant to Article 13(1) of Regulation (EC) No 1924/2006 on request from the European Commission. EFSA Journal 2009;7(9):1276. [12 pp.]. doi:10.2903/j.efsa.2009.1276. Available online: www.efsa.europa.eu.

540 EFSA Panel on Dietetic Products, Nutrition and Allergies (NDA). Scientific Opinion on the substantiation of health claims related to pectins and reduction of post-prandial glycaemic responses (ID 786), maintenance of normal blood cholesterol concentrations (ID 818) and increase in satiety leading to a reduction in energy intake (ID 4692) pursuant to Article 13(1) of Regulation (EC) No 1924/2006. EFSA Journal 2010;8(10):1747. [17 pp.]. doi:10.2903/j.efsa.2010.1747. Available online: www.efsa.europa.eu/efsjournal.htm

541 EFSA Panel on Dietetic Products, Nutrition and Allergies (NDA). Scientific Opinion on the substantiation of health claims related to plant sterols and plant stanols and maintenance of normal blood cholesterol concentrations (ID 549, 550, 567, 713, 1234, 1235, 1466, 1634, 1984, 2909, 3140), and maintenance of normal prostate size and normal urination (ID 714, 1467, 1635) pursuant to Article 13(1) of Regulation (EC) No 1924/2006. EFSA Journal 2010;8(10):1813. [22 pp.]. doi:10.2903/j.efsa.2010.1813. Available online: www.efsa.europa.eu/efsjournal.htm

542 Elmadfa I, ed. European Nutrition and Health report 2009. Forum of Nutrition 2009;62:1-412.

543 Stender S. Trans fatty acids in Denmark and other EU countries. A trans European difference in content of trans fatty acids in popular foods. Presentation, 19 February 2010.

544 Henderson L, Gregory J, Swan G. The National Diet & Nutrition Survey: adults aged 19 to 64 years. Volume 1: Types and quantities of foods consumed. Office of National Statistics. London: HMSO, 2002.

545 Lobstein T, James WPT. Can food supplies meet nutritional targets? Ann Nutr Metab 2003;47:428-429.

546 Wallop H. Daily Telegraph citing Mintel, 6 March 2009.

547 Datamonitor Savoury snacks in Greece to 2013. www.marketresearch.com, November 2009.

548 Datamonitor Savoury snacks in Turkey to 2013. www.marketresearch.com, November 2009.

549 Datamonitor Savoury snacks in Eastern Europe to 2013. www.marketresearch.com, November 2009.

550 OECD. Impediments to Efficiency in the Agro-Food Chain in Bulgaria, Romania, and Slovenia. CCNM/AGR/PP(98)50. Paris: OECD, 1998.

551 Euromonitor. Consumer Eastern Europe 2005/06. Euromonitor, 2005.

552 Datamonitor. Soft drinks in Poland to 2008. Global Information Inc, 2005.

553 AAFC. Russian Snack Market Study 2002. International Issues Team, Agriculture and Agri-Food Canada., 2003.

554 Henderson L, Gregory J, Irving K, Swan G. National Diet and Nutrition Survey: adults aged 19-64 years. Volume 2: Energy, protein, carbohydrate, fat and alcohol intake. London: TSO, 2003.

555 Yeomans MR, Caton S, Hetherington MM. Alcohol and food intake. Curr Opin Clin Nutr Metab Care 2003;6:639-44.

556 See also Caton SJ et al. Dose-dependent effects of alcohol on appetite and food intake. Physiol Behav. 2004;81:51-58.

- 557** Granado F, Blazquez S, Olmedilla B. Changes in carotenoid intake from fruit and vegetables in the Spanish population over the period 1964-2004. *Public Health Nutrition* 2007;10(10):1018-1023.
- 558** Blythman J. *The food we eat*. London: Michael Joseph, 1996.
- 559** Sargent JR, Tacon AGJ. Development of farmed fish: a nutritionally necessary alternative to meat. *Proc Nutr Soc* 1999;58:377-383.
- 560** Crawford MA. Fatty acid ratios in free-living and domesticated animals. Possible implications for atherosclerosis. *Lancet* 1968;1(7556):1329-1333.
- 561** Trichopoulou A, Vasilopoulou E, Hollmann P et al. Nutritional composition and flavonoid content of edible wild greens and green peas: a potential rich source of antioxidant nutrients in the Mediterranean diet. *Food Chemistry* 2000;70:319-323.
- 562** Trichopoulou A, Vasilopoulou E, Georga K et al. Traditional foods: why and how to sustain them. *Trends in Food Science and Technology* 2006;17:498-504.
- 563** Serra-Majem L, Ribas-Barba L, Salvador G et al. Compliance with dietary guidelines in the Catalan population: basis for a nutrition policy at the regional level ((the PAAS strategy)). *Public Health Nutrition* 2007;10:1406-1414.
- 564** Panagiotakos DB, Pitsavos C, Arvaniti F, Stefanadis C. Adherence to the Mediterranean food pattern predicts the prevalence of hypertension, hypercholesterolemia, diabetes and obesity, among healthy adults; the accuracy of the MedDietScore. *Prev Med* 2007;44:335-40.
- 565** Van Diepen S, Scholten AM, Korobili C et al. Greater Mediterranean diet adherence is observed in Dutch compared with Greek university students. *Nutr Metab Cardiovasc Dis* 2010;18 (PMID: 20171853).
- 566** EU Platform working paper on Physical Activity. (ev20080917_wp_en.pdf)
- 567** Knuth AG, Hallal PC. Temporal trends in physical activity: A systematic review. *J Phys Activity and Health* 2009;6:540-559.
- 568** Department for Transport. *Transport trends*. 2009 edition. London: National Statistics, 2010.
- 569** Westerterp KR, Speakman JR. Physical activity energy expenditure has not declined since the 1980s and matches the energy expenditures of wild mammals. *Int J Obes (London)* 2008;32(8):1256-1263.
- 570** World Health Organization. *The challenge of obesity in the WHO European Region and the strategies for response*. WHO: Copenhagen, 2007.
- 571** Lobstein T. Child obesity – what can be done and who will do it? *Proceedings of the Nutrition Society* 2008;67:301-306.
- 572** Kunst AE, Groenhof F, Andersen O et al. Occupational class and ischemic heart disease mortality in the United States and 11 European countries. *Am J Public Health* 1999;89:47-53.
- 573** Cohen DA, Farley TA. Eating as an automatic behavior. *Prev Chronic Dis* 2008;5(1). http://www.cdc.gov/pcd/issues/2008/jan/07_0046.htm. Accessed 10 January 2010.
- 574** Wilkinson R, Pickett K. *The Spirit Level*. London: Allen Lane, 2009.
- 575** Commission of the European Communities. EU Communication from the Commission to the European Parliament, the Council, the European Economic and Social Committee and the Committee of the Regions on Solidarity in health: Reducing health inequalities in the EU. Brussels: CEC, 2009.
- 576** Sixty-Second World Health Assembly. Reducing health inequities through action on the social determinants of health. Agenda item 12.5. WHA62.14, 22 May 2009.
- 577** Maillot M, Darmon N, Darmon N, Lafay L, Drenowski A. Nutrient-dense food groups have high energy costs: An econometric approach to nutrient profiling. *Journal of Nutrition* 2007;137:1815-1820.
- 578** Friel S, Walsh O, McCarthy M. The irony of a rich country: issues of financial access to and availability of healthy food in the Republic of Ireland. *J Epid Comm Health* 2006;60:1013 -1019.
- 579** Darmon N, Drenowski A. Does social class predict diet quality? *AJCN* 2008;87:1107-1117.
- 580** Cavill N, Kahlmeier S and Racioppi F, eds. *Physical activity and health in Europe: evidence for action*. Copenhagen: WHO Regional Office for Europe, 2006.

- 581** Giles-Corti B, Donovan RJ. Socioeconomic status differences in recreational physical activity levels and real and perceived access to a supportive physical environment. *Preventive Medicine* 2002;35:601-611.
- 582** General Comment 14: 11.08.2000. E/C.12/2000/4. The right to the highest attainable standard of health (Art 12.1 in the ICESCR). Committee on Economic, Social and Cultural Rights. Twenty-second sessions. Geneva, 25 April-12 May 2000.
- 583** General comment 12: 12/05/99. E/C.12/1999/5. The right to adequate food (Art.11 in the ICESCR). Committee on Economic, Social and Cultural Rights. Twentieth session. Geneva, 26 April-14 May 1999.
- 584** Toronto Charter for Physical Activity (2010) accessed at http://www.cflri.ca/icpaph/en/documents/CharterDocument3-ENG_draft3.pdf
- 585** Lopes C, Theisohn T. Ownership, Leadership and Transformation. Can We Do Better for Capacity Development? London: Earthscan Publications Ltd, 2003.
- 586** Pavlovic M, Pepping F, Demes, M, Biro L, Szabolcs P, Dimitrovska Z, Duleva V, Parvan C, Hadzimeragic AF, Glibetic M, Oshaug A. Turning dilemmas into opportunities: a UNU/SCN capacity development network in public nutrition in Central and Eastern Europe. *Public Health Nutrition* 2009;12(8): 1046-1051.
- 587** Pavlovic M, Witthoft CM, Hollman P, Hulshof PJM, Glibetic M, Porubska J, Pepping F, Oshaug A. Training and capacity building in central and eastern Europe through the EuroFIR and CEE networks. *Food Chemistry* 2009;113(8):846-850.
- 588** Gurinović M, Withöft CM, Tepšić J, Ranić M, Hulshof PJM, Hollman PC, Porbuska J, Gohar A, Debeljak-Martačić J, Petrović-Oggiano G, Novaković R, Glibetić M, Oshaug A. Capacity development in food composition database management and nutritional research and education in Central and Eastern European, Middle Eastern and North African countries. *EJCN* 2010; 64:S134-S138.
- 589** Gurinović M, Kadvan A, Buccini L, Matthys C, Torres D, Novaković R, Smith R and Glibetić M. EURRECA nutritional planning and dietary assessment software tool: NutPlan, *Eur J Clin Nutr* 2010;64: S38-S42. 10.1038/ejcn.2010.59.
- 590** Cavelaars A E J M, Kadvan A, Doets E L, Tepšić J, Novaković R, Dhonukshe-Rutten R, M Renkema, Glibetić M, Buccini L, Matthys C, Smith R, Van't Veer P, De Groot C P G M and Gurinović M. Nutri-RecQuest: a web-based search engine on current micronutrient recommendations, *Eur J Clin Nutr* 2010;64: S43-S47. 10.1038/ejcn.2010.60.
- 591** Which? Hungry for Change? Which? healthier choices progress report 2009. London: Consumers' Association, 2009.
- 592** Huang C, Dumanovsky T, Silver LD, Nonas C, Bassett MT. Calories from beverages purchased at 2 major coffee chains in New York City, 2007. *Prev Chronic Disease* 2009;6(4).
- 593** Council of the European Union. Council conclusions on "Action to reduce population salt intake for better health" 21 May 2010. 9827/10
- 594** Ballesteros JM. Workshop on salt reduction in bread. Presentation to DG Sanco seminar October 2009. Available from: ec.europa.eu/health/nutrition_physical.../ev20091021_ballesteros_en.pdf
- 595** Steenhuis IH, Vermeer VM. Portion size: review and framework for interventions. *Int J Behav Nutr Phys Act* 2009;6:58.
- 596** Krettek A, Thorpenberg S, Bondjers G. Trans fatty acids and health: A review of health hazards and existing legislation. European Parliament Policy Department Economic and Scientific Policy, 2008. IP/A/ENVI/ST/2008-19.
- 597** Stockley L, Kaur A, Rayner M. Summary of original research from December 2006-June 2008 on consumer preferences and use of Front of Pack nutrition schemes. Prepared for the European Heart Network, August 2008.
- 598** BEUC. Nutrient profiles: unhealthy foods should not claim to be anything else. Press release, 20 April 2009.
- 599** Cohen, D. A desired epidemic: obesity and the food industry. Think Tank Town. Washingtonpost.com 20 February 2007. Available from: <http://www.washingtonpost.com/wp-dyn/content/article/2007/02/20/AR2007022001336.html>
- 600** Bourdillon F, Hercberg S. Lutte contre l'obésité: soyons cohérents! *Le Monde*. 25.02.10. Available from http://www.lemonde.fr/opinions/article/2010/02/25/lutte-contre-l-obesite-soyons-coherents-par-francois-bourdillon-serge-hercberg_1311434_3232_1.html
- 601** Sutherland LA, MacKenzie T, Purvis LA, Dalton M. Prevalence of food and beverage brands in movies: 1996-2005. *Pediatrics*. 2010;125(3):468-74. (doi:10.1542/peds.2009-0857)

- 602 See <http://consumers.ofcom.org.uk/2011/02/product-placement-on-tv/>
- 603 World Health Organization. Interventions on diet and physical activity. What works. Summary Report. Geneva: WHO, 2009.
- 604 WHO. Evidence for the effectiveness and cost-effectiveness of interventions to reduce alcohol related harm.
- 605 Mackay J Eriksen M The tobacco atlas. WHO 2002.
- 606 WHO report on the global tobacco epidemic, 2009.
- 607 Wilson N, Thomson G, Tobias M, Blakely T. How much downside? Quantifying the relative harm from tobacco taxation. *J Epid Comm Health* 2004;58:451-454.
- 608 European Parliament resolution of 25 September 2008 on the White Paper on nutrition, overweight and obesity-related health issues.
- 609 Wilkins R. Danes impose 25% tax increases on ice cream, chocolate and sweets to curb disease. *BMJ* 2010;341:c3592.
doi: 10.1136/bmj.c3592 (Published 6 July 2010). See also http://www.ft.dk/R1pdf/samling/20101/lovforslag/l111/20101_l111_som_vedtaget.pdf
- 610 Lallukka T, Lahti-Koski M, Ovaskainen ML. Vegetable and fruit consumption and its determinants in young Finnish adults. *Scandinavian Journal of Nutrition* 2001;45:120-126.
- 611 Commission communication. The reform of the CAP towards 2020. Consultation document for Impact Assessment. Available from: http://ec.europa.eu/agriculture/cap-post-2013/consultation/index_en.htm
- 612 House of Commons Public Accounts Committee, Smarter food procurement in the public sector. Thirteenth report of Session 2006-07. HC 357
- 613 Cavill N. Promoting physical activity: international and UK experiences. 2004
- 614 Gill PE, Wijk K. Case study of healthy eating intervention for Swedish lorry drivers. *Health Education Research* 2004;19:306-315.
- 615 http://www.who.int/occupational_health/topics/workplace/en/
- 616 Pucher J, Dill J, Handy S. Infrastructure, programs, and policies to increase bicycling: An international review. *Preventive Medicine* 2010;50:S106-S125.
- 617 Pucher J, Dijkstra L. Promoting safe walking and cycling to improve public health: Lessons from the Netherlands and Germany. *Am J Public Health* 2003;93(9):1509-1516.
- 618 http://www.ipcc.ch/publications_and_data/publications_and_data.shtml
- 619 Environmental impact of products (EIPRO): Analysis of the life cycle environmental impacts related to the total final consumption of the EU25. European Commission Technical Report EUR 22284 EN, May 2006.
- 620 http://www.fcrn.org.uk/fcrnPublications/publications/PDFs/CuaS_web.pdf
- 621 European Agriculture and Health Consortium. A rationale for Health Promoting Agriculture Policy. EAHC Position Paper on the post 20113 CAP. Draft.
- 622 Greenhouse gas emission trends and projections in Europe 2007: Tracking progress towards Kyoto targets (2007) EEA Report No 5/2007, European Environment Agency
- 623 World Water Assessment Programme. Water in a changing world. The United Nations World Water Development Report 3.
- 624 World Health Organization. Climate change and human health : risk and responses. Summary. Geneva: WHO, 2003. Available from: <http://www.who.int/globalchange/publications/cchhsummary/en/index.html>
- 625 McMichael AJ, Woodruff RE, Hales S. Climate change and human health: present and future risks. *Lancet* 2006;367:859-69.
- 626 Bhaskaran K, Hajat S, Haines A, Herrett E, Wilkinson P, Smeeth L. Effects of ambient temperature on the incidence of myocardial infarction. *Heart* 2009;95:1760-1769.
- 627 Costello A, Abbas A, Allen A, Ball S, Bell S, Bellamy R, Friel S, Groce N, Johnson A, Kett M, Lee M, Levy C, Maslin M, McCoy D, McGuire B, Montgomery H, Napier D, Pagel C, Patel J, Antonio J, de Oliveira P, Redclift N, Rees H, Rogger D, Scott J, Stephenson J, Twigg J, Wolff J, Patterson C. Managing the health effects of climate change. Lancet and University College London Institute for Global Health Commission. *Lancet* 2009;373:1693-733.

628 http://www.slv.se/upload/dokument/miljo/environmentally_effective_food_choices_proposal_eu_2009.pdf

629 http://www.nachhaltigkeitsrat.de/uploads/media/Brochure_Sustainable_Shopping_Basket_September_2010.pdf

630 Sustainable Development Commission. Setting the Table.
London: SDC, 2009. <http://www.sd-commission.org.uk/publications.php?id=1033>

631 See <http://www.climatechange.govt.nz/emissions-trading-scheme/participating/agriculture/>

632 Woodcock J, Edwards P, Tonne C, Armstrong BG, Ashiru O, Banister D, Beevers S, Chalabi Z, Chowdhury Z, Cohen A, Franco OH, Haines A, Hickman R, Lindsay G, Mittal I, Mohan D, Tiwari G, Woodward A, Roberts I. Public health benefits of strategies to reduce greenhouse-gas emissions: urban land transport. Lancet 2009;374:1930-43.